CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 39, 2002

A

Adler, G. H., 451
Adler, P. H., 293
Agrela, I., 440
Agui, N., 427
Akkafa, F., 12
Alison, M. W., Jr., 747
Almeida, A. P. G., 207
Alptekin, D., 870
Altamira, G., 939
Alvarez, L. A., 130
Alzogaray, R. A., 191
Amerasinghe, F. P., 28
Anda, P., 177
Andre, R. G., 480, 635
Antonio-Nkondjio, C., 350
Apiwathnasorn, C., 583
Apperson, C. S., 777
Araújo Azevedo, A., 553
Armbruster, P., 699
Arredondo-Jiménez, J. I., 825
Arthur, R. R., 248
Aspen, S. E., 777
Awono-Ambene, P., 350
Azad, A. F., 809
Azevedo, A. C. R., 587

B

Bach, T., 671
Baker, J. E., 499
Bangs, M. J., 324
Banks, C. W., 198
Barasa, S. S., 736
Barbosa, H. S., 705
Barger, D. K., 948
Barker, S. C., 662
Barnard, D. R., 895
Barral, M., 177
Barreto, M., 601
Battsetseg, B., 173
Beebe, N. W., 16, 362, 541, 786
Benedict, M. Q., 942
Benjamin, M. A., 723
Ben Sheikh, H., 729
Bernier, U. R., 895
Billingsley, P. F., 207
Birungi, J., 689
Bisset, J., 882
Blackwell, A., 121
Blagburn, B. L., 671
Bledsoe, D., 671
Blow, J. A., 605
Boccolini, D., 446
Bollero, G. A., 52
Bond-Compean, J. G., 256, 825
Bossard, R. L., 742
Bram, R. A., 405
Brindis, Y., 256
Broadwater, A. H., 285
Broce, A. B., 499, 742, 900
Brockhouse, C. L., 293
Brooke, B. D., 568
Brown, C. R., 115
Brown, M. R., 331
Brown, T. P., 915
Burattini, M. N., 926
Burbano, M. E., 601
Burkett, D. A., 244

C

Cadena, H., 451
Camargo, E. P., 241, 814
Camargo, L. M. A., 241, 814
Cameron, M. M., 755
Campbell, N. J. H., 662
Campbell-Lendrum, D. H., 621
Camps, F., 191
Cancrini, G., 562
Cannon, C. E., 1
Carcavallo, R. U., 705
Carnevale, P., 568
Carroll, J. F., 237
Ceraul, S., 285
Ceraul, S. M., 376, 809
Chan, A. S. T., 324
Chandre, F., 568
Chang, K. P., 12
Chansiri, K., 215
Chapman, H. F., 362
Charles, J.-F., 729
Chaudhury, M. F., 130
Cheffort, J., 493
Chen, C.-C., 266
Chevillon, C., 729
Chiarini-Garcia, H., 36
Chiles, R. E., 226, 312, 793
Cilek, J. E., 127
Clark, K. L., 198
Clements, T. L., 248
Coetzee, M., 78, 568
Coleman, R. E., 244, 521, 556
Collins, L. E., 121
Conn, J. E., 861
Cooper, R. D., 16, 362
Cope, S. E., 248
Cork, A., 191
Cortez, A., 135
Cossio-Bayugar, R., 278
Crabtree, M. B., 461
Craig, M. E., 680
Crowley, L. D., 931
Cruz-López, L., 256
Cruz-Vázquez, C., 939
Cuadrillero, C., 675
Cupp, E. W., 908
Cupp, M. S., 908
Cusack, R., 793

D

D'Amelio, S., 562
Daniels, T. J., 920
Darsie, R. F., Jr., 430
Dave, K., 324
Davey, R. B., 645, 763
Davies, C. R., 621
Dean, S. R., 370, 475
Debboun, M., 541
de Freitas Fernandes, F., 36
Denholm, I., 671
Deparis, X., 493
De Silva, A. M., 285
Díaz, P., 652
Díez-Baños, P., 652
Di Luca, M., 446
Diotaiuti, L., 716
Dohm, D. J., 221, 248, 480, 640
Dolan, M. C., 509
Dolo, G., 70
Dowell, F. E., 499
Dryden, M. W., 671, 742
Duchon, S., 526
Dung, N. V., 541
Dunham, B., 251
Durden, L. A., 112, 198, 398

E

Edillo, F. E., 70
Edman, J. D., 44, 561
Eigenbrode, S. D., 545
Engber, B. R., 777
English, L. M., 680
Escudero, R., 177
Eshita, Y., 185
Evangelista, L. G., 432
Ewing, S. A., 631

F

Faaruia, M., 493, 658
Fabrick, J. A., 499
Fairley, T. L., 861
Falco, R. C., 920
Fallah, H., 312
Fang, Q. Q., 251
Fang, Y., 312, 793
Fava, A. B., 135
Favia, G., 562
Fé, N. F., 587
Feliciangeli, D. M., 587
Feliciangeli, M. D., 440
Fernández, R. S.-A., 652
Fielden, L. J., 875
Finkelstein, J. L., 915
Foil, L. D., 747, 915
Foley, P. N., 356, 786
Fontan, A., 191
Fontenille, D., 350
Forattini, O. P., 926
Frances, S. P., 16, 362, 521, 541
Fujisaki, K., 173
Furlanello, C., 485
Fussell, E. M., 430

G

Gabrielli, S., 562
Gad, A. M., 248
Gállego, M., 720
Galvão, C., 705
García-Pérez, A. L., 177
Garcia-Vazquez, Z., 939
Genchi, C., 485
George, J., 939
George, J. E., 405, 645, 763
Gimnig, J. E., 162
Gionar, Y. R., 324
Githeko, A., 833
Goff, M. L., 275
Goff, W. L., 667
Goldberg, M., 112
Gold-Morgan, M., 825
Gomez, B., 440
Gonzalez Audino, P., 191, 457
González-Ceron, L., 61
Green, E.-G. N., 226, 793
Green, E. N., 312
Grigoryan, G., 446
Grossman, G. L., 331
Guerrero, F. D., 747, 770
Guilfoile, P., 218
Guillet, P., 526
Guzmán-Cornejo, C., 343

H

Haghpanah, M., 689
Hansen, O., 671
Hanson, P. E., 945
Harrison, B. A., 777
Hassan, A. N., 248
Hassan, H. K., 777
Hassan, M. M., 248
Hassanali, A., 736
Heinemann, M. B., 135
Hernandez, R., 770
Hernández-Martínez, S., 61
Herrel, N., 28
Herrell, M. L., 392
Herrero, M. V., 680
Hice, C. L., 275
Hill, N., 755
Hinkle, N. C., 671
Hodgkinson, V. H., 689
Hoffmann, E. J., 935
Holman, P. J., 278
Holt, J. S., 469
Holynska, M., 469
Hopkins, T., 671
Hou, R. F., 266
Houck, M. A., 931
Hougard, J.-M., 526
Hovanesyan, I., 446
Hsu, M.-H., 685
Hsu, T.-C., 685
Hughes, M., 251
Hunt, R., 78
Hunt, R. H., 568
Hurtado, A., 177
Hutchinson, R. A., 699
Hynes, W. L., 285, 376

I

Inoue, N., 173
Irby, W. S., 777
Iwakura, Y., 173

J

Jacobs, D. E., 671
James, A. M., 198
Jennings, C. D., 99
Johnson, L. W., 667
Jones, C. J., 52
Joshi, S., 689
Joy, J. E., 392
Joyce, J. A., 695
Jurberg, J., 705
Juste, J., 298
Juste, R. A., 177

K

Kalischuk-Tymensen, L. D., 89
Kamau, L., 78
Kammlah, D. M., 747
Kankaew, P., 556
Kanost, M. R., 900
Kasap, H., 870
Kasap, M., 870
Kato, K., 185
Kaufman, M. G., 162
Kaufman, P. E., 106
Kay, B. H., 99, 143, 356, 469
Keirans, J. E., 398
Kensington, M., 793
Khlaimanee, N., 521
Khokhlova, I. S., 875
Khuntirat, B., 556
Kiattibut, C., 244, 556
Kim, H. C., 244
Kiser, B. C., 695
Kiszewski, A. E., 847
Klein, B., 720
Klein, T. A., 244
Klowden, M. J., 545
Knight, J. W., 854
Knowles, D. P., 667
Kobayashi, M., 4, 427
Koella, J. C., 84
Kollars, T. M., Jr., 521
Kramer, L. D., 226, 312
Krasnov, B. R., 875
Kuhn, K. G., 621
Kurihara, T., 4
Kurokawa, K., 185
Kurtti, T. J., 534

L

Labruna, M. B., 135, 241, 814
La Corte Dos Santos, R., 926
Lai, S.-C., 266
Lainson, R., 587
Lanz, H., 61
Lanzaro, G. C., 70
Lardeux, F., 493, 658
Layfield, D., 218
Lazzari, C. R., 716
Lee, W. J., 244
Leite, A. C. R., 432
Leo, N. P., 662
Lerdthusnee, K., 521
Li, A. Y., 770
Limrat, D., 583
Linardi, P. M., 36, 553
Linthicum, K. J., 521
Loncke, S., 493
López, C., 652
López-Ortega, G., 343
Lord, C. C., 417
Lorenzo, M. G., 716
Lothrop, B., 574
Lothrop, H. D., 574, 793
Lozano, M., 451
Lüleyap, H. U., 870
Lwande, W., 736
Lyons, S. A., 356, 469
Lysyk, T. J., 89

M

Macaluso, K. R., 809
Mackenzie, J. S., 786
Madulo-Leblond, G., 720
Makala, L., 173
Malo, E. A., 256
Mamiro, K., 173
Marinotti, O., 135
Marrelli, M. T., 135
Martinez, A., 191
Mathew, J. S., 631
McBride, W. J. H., 143
Medina, L., 939
Mehlhorn, H., 671
Mencke, N., 671
Méndez-Sánchez, J. D., 825
Meneses, C. R. V., 587
Meola, R., 889
Meola, R. W., 370, 475
Merler, S., 485
Metzger, M. E., 152
Meunier, J.-Y., 350
Mikami, T., 173
Miller, B. R., 461
Miller, J. R., 935
Miller, M. K., 1
Miller, R. J., 645
Minakawa, N., 833
Mine, M., 185
Mixson, T. R., 251
Miyagi, I., 146, 461
Mogi, M., 833
Monkanna, T., 521
Montes, C., 675
Montoya-Lerma, J., 451
Morales-Malacara, J. B., 298, 343
Morrill, J. C., 248
Morsy, Z. S., 248
Mougabure Cueto, G., 457
Mukhtar, M., 28
Mulla, M. S., 513
Mullner, H., 143
Mumcuoglu, K., 662
Mungviriya, S., 521
Munstermann, L. E., 689, 854

N

Nagasawa, H., 173
Nasci, R. S., 777
Nash, D., 248
Nayar, J. K., 854
Ndiege, I. O., 736
Nielsen-Leroux, C., 729
Nihei, N., 4

Nisbet, D. J., 786
Nyambam, R., 350

O

Oda, T., 185
Ogawa, Y., 185
O'Guinn, M. L., 221, 806
Oliver, J. H., Jr., 198, 534
Ombok, M., 162
O'Reilly, K. L., 915
Ostfeld, R. S., 723
Otieno, S., 162
Ozbel, Y., 12

P

Pagac, B., 480
Palmer, A. T., 534
Panciera, R. J., 631
Pandeya, N., 356
Pasteur, N., 729
Payne, P., 671
Paz-Silva, A., 652
Pérez-Eid, C., 234
Perez-Mendoza, J., 499
Perrotey, S., 720
Pesson, B., 720
Phantana, S., 215
Picollo, M. I., 457
Piesman, J., 509
Pires, H. H. R., 716
Pizzuli, J. L., 945
Polerstock, A. R., 545
Posey, K. H., 895
Póvoa, M. M., 861
Presley, S. M., 248
Prètre, J., 729
Prommongkol, S., 583
Pruett, J. H., 384
Purdie, D., 356

R

Rafferty, C. S., 942
Rajapakse, C. N. K., 889
Ramos, M., 939
Rangel, E. F., 587
Ratanawong, S., 556
Ratcliffe, S. T., 52
Readio, J., 889
Rechav, Y., 112
Reichard, R. E., 405
Reisen, W. K., 226, 312, 574, 793
Ricci, I., 562
Richtzenhain, L. J., 135
Riehle, M. A., 331
Rios-Candelaria, E., 256
Ritchie, S. A., 786
Ritzi, C. M., 275
Rizzoli, A., 485
Robertson, H. M., 52
Rodríguez, M. H., 61, 825
Rodríguez, M. M., 882
Rogers, P. C., 392
Rojas, J. C., 256
Rojruthai, B., 583
Romi, R., 446
Rossi, C. A., 248
Rueda, L. M., 777
Ruiz, M., 882
Rusmiarto, S., 324
Russell, B. M., 143, 469
Rust, M. K., 152, 671
Rutz, D. A., 106
Ryan, J., 244
Ryan, J. R., 324
Ryan, P. A., 356

S

Sabatinelli, G., 446
Sakamoto, S. M., 135
Samung, Y., 583
Sanchez, E., 440
Sanders, C. I., 945
Sangjun, N., 521
Santiesteban, A., 256
Sapp, J., 251
Sarataphan, N., 215
Sardelis, M. R., 480, 635, 640
Sasaki, T., 427
Sattabongkot, J., 244, 556
Savage, H. M., 777
Scala, A., 652
Scarpassa, V. M., 613
Schilman, P. E., 716
Schmidtmann, E. T., 680
Schumaker, T. T. S., 135, 241, 814
Schwartz, A., 84
Sechan, Y., 493, 658
Selinger, L. B., 89
Sellek, R. E., 177
Sethi, R. A., 115
Sheppard, D. C., 695
Silva, M. B. A., 705
Silverman, A. L., 605
Sithiprasasna, R., 556
Slamecka, M. C., 920
Smith, G., 842
Smith, L. L., 398
Soares, R. M., 135
Soca, A., 882
Soileau, L. C., 384
Sonenshine, D. E., 285, 376, 809
Sonye, G., 833
Souza, A. A., 587
Spielman, A., 847
Spring, A. R., 1
Stallings, T., 908
Stark, H. E., 818
Still, K. M., 875
Stiller, D., 667
Stracker, T. H., 331
Su, T., 513
Suárez, J. L., 652
Sumner, S. M., 695
Svobodová, M., 12
Sweeney, A. W., 16
Swist, S. L., 900

T

Tabachnick, W. J., 405, 417
Tahara, H., 185
Takano-Lee, M., 44
Tamashiro, M., 146
Taylor, C. E., 70
Tchuinkam, T., 350
Temeyer, K. B., 384
Terrassini, F. A., 814
Thompson, S., 331
Throne, J. E., 499
Toma, T., 146, 461
Tomberlin, J. K., 695
Toto, J.-C., 350
Touré, Y. T., 70
Toyoda, Y., 173
Travi, B. L., 451
Trindade, D. B., 613
Tsutsumi, V., 61
Tsuzuki, A., 146
Turell, M. J., 1, 221, 248, 480, 605, 635, 640, 806

U

Uchida, K., 185
Unnasch, T. R., 777

V

Vail, S. G., 842
van den Hurk, A. F., 362, 786
Vassallo, M., 234
Vassena, C. V., 457
Vaughn, M., 671
Vázquez-Martínez, M. G., 825
Vetter, R. S., 948
Vilella, D., 675
Vlach, J. J., 430
Volf, P., 12
Votýpka, J., 12
Vulule, J. M., 162

W

Waggoner, M., 671
Wagner, G. G., 278
Waldron, J. K., 106
Walker, E. D., 162, 605
Wasieloski, L. P., 248
Waterson, D. G. E., 16
Watson, D. W., 777
Wedincamp, J., Jr, 915
Weinzierl, R. A., 52
Welch, J. B., 130
Wilkerson, M. J., 900
Williams, C. R., 362
Wirtz, R. A., 499
Wolfe, T. M., 226, 312
Wondji, C. S., 350
Wu, W.-J., 685
Wyatt, C. R., 900

X

Xie, F., 499
Xue, R.-D., 895

Y

Yan, G., 833
Yang, X., 662
Yoder, J. A., 945
Young, D. G., 601

Z

Zahiri, N. S., 513
Zaim, M., 526
Zanatta Coutinho, M. T., 553
Zebaze-Kemleu, S., 350
Zerba, E. N., 191, 457
Zhioua, E., 723

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 39, 2002

A

Acari, 275, 343, 553
  bat ectoparasites, 343
  chiggers, 553
  Chiroptera, 553
  ectoparasites, 553
  Eudusbabekia provirilia n. sp., 343
  host-parasite relationships, 553
  Leptonycteris nivalis, 343
  mites, 553
  Myobiidae, 343
  Polylopadium, 275
  Polylopadium peruensis, 275
  Trombiculidae, 275
acaricide,
  allergen avoidance, 755
  Der p 1, 755
  house dust mite, 755
  permethrin, 755
  placebo-controlled, 755
Acarina,
  dogs, 112
  Georgia, 112
acquired immunity,
  Haemaphysalis longicornis, 173
  IFN-γ −/− mice, 173
  Th2 polarization, 173
adult control,
  Culex, 574
  microdistribution, 574
  non-attractant traps, 574
  pyrethrum, 574
  ultra low volume, 574
adults,
  comparative behavior, 234
  Ixodes ricinus, 234
  nymphs, 234
Aedes, 469, 493
  biting index, 493
  community education, 493
  control, 469
  Culex, 493
  Mesocyclops, 469
  mosquito control, 493
  north Queensland, 469
  Ochlerotatus, 469
  Polynesia, 493
  subterranean, 469
Aedes aegypti, 143, 331, 356, 545, 882
  Anopheles gambiae, 545
  behavior, 331
  cuticular hydrocarbons, 545
  dengue fever, 143
  epidemiology, 143
  esterase, 882
  glutathione-S-transferase, 882
  key container, 143
  mating behavior, 545
  midgut endocrine system, 331
  mosquitoes, 545
  nervous system, 331
  Ochlerotatus notoscriptus, 356
  organophosphate, 882
  ovitraps, 356
  peptide hormone, 331
  pyrethroid, 882
  resistance, 882
  subterranean, 143
  subterranean habitat, 356
  surface habitat, 356
Aedes albopictus, 4, 699
  Aedes geniculatus, 699
  annual mean temperature, 4
  body size, 699
  fecundity, 699
  geographical information system, 4
  Japan, 4
  northern distribution, 4
  Tohoku district, 4
  wing length, 699
Aedes flavopictus,
  Aedes flavopictus downsi, 461
  Aedes flavopictus miyarai, 461
  Japan, 461
  phylogenetic tree, 461
  ribosomal DNA, 461
Aedes flavopictus downsi,
  Aedes flavopictus, 461
  Aedes flavopictus miyarai, 461
  Japan, 461
  phylogenetic tree, 461
  ribosomal DNA, 461
Aedes flavopictus miyarai,
  Aedes flavopictus, 461
  Aedes flavopictus downsi, 461
  Japan, 461
  phylogenetic tree, 461
  ribosomal DNA, 461
Aedes geniculatus,
  Aedes albopictus, 699
  body size, 699
  fecundity, 699
  wing length, 699
Aedes polynesiensis,
  Cardisoma carnifex, 658
  Culex spp., 658
  French Polynesia, 658
  land crab, 658
  mosquito control, 658
Aedes vexans,
  cliff swallow, 115
  coloniality, 115
  Culex tarsalis, 115
  mosquito attraction, 115
  Petrochelidon pyrrhonota, 115
Aeromonas,
  mortality, 89
  Pseudomonas, 89
  Serratia, 89
  Stomoxys calcitrans, 89
age-grading,
  Musca autumnalis, 499
  Musca domestica, 499
  near-infrared spectroscopy, 499
  pteridine, 499
  Stomoxys calcitrans, 499
algae,
  Anopheles gambiae, 162
  bacteria, 162
  density-dependence, 162
  larvae, 162
  nutrients, 162
aliphatic alcohols,
  experimental lotions, 457
  Pediculus humanus capitis, 457
  permethrin resistance, 457
allergen avoidance,
  acaricide, 755
  Der p 1, 755
  house dust mite, 755
  permethrin, 755
  placebo-controlled, 755
Alphavirus,
  Australia., 99
  Ochlerotatus vigilax, 99
  Ross River virus, 99
  temperature, 99
  vector competence, 99
alphaviruses,
  Australia, 786
  flaviviruses, 786
  mosquitoes, 786
  Queensland, 786
  virus isolation, 786
Amazon,
  Amblyomma humerale, 814
  ticks, 814
  tortoises, 814
Amazon Delta,
  Anopheles aquasalis, 861
  malaria vector, 861
  Nested Clade Analysis, 861
  northeastern Brazil, 861
  phylogeographic structure, 861
Amblyomma,
  Hepatozoon, 631
  ixodids, 631
  Rhipicephalus, 631
  tick-borne, 631
  vector, 631
Amblyomma americanum, 237, 667
  Babesia equi, 667
  blacklegged tick, 237
  Boophilus microplus, 667
  equids, 667
  host-seeking, 237
  Ixodes scapularis, 237
  lone star tick, 237
  Lyme disease, 237
  ticks, 667
  vectors, 667

Amblyomma geochelone,
Ixodidae, 398
Madagascan ploughshare tortoise, 398
Madagascar, 398
new species, 398
Amblyomma humerale,
Amazon, 814
ticks, 814
tortoises, 814
Amblyomma naponense,
Amblyomma oblongoguttatum, 241
Amblyomma ovale, 241
Amblyomma scalpturatum, 241
swine, 241
ticks, 241
Amblyomma oblongoguttatum,
Amblyomma naponense, 241
Amblyomma ovale, 241
Amblyomma scalpturatum, 241
swine, 241
ticks, 241
Amblyomma ovale,
Amblyomma naponense, 241
Amblyomma oblongoguttatum, 241
Amblyomma scalpturatum, 241
swine, 241
ticks, 241
Amblyomma scalpturatum,
Amblyomma naponense, 241
Amblyomma oblongoguttatum, 241
Amblyomma ovale, 241
swine, 241
ticks, 241
American dog tick,
2,4-dichlorophenol, 945
2,6-dichlorophenol, 945
Dermacentor variabilis, 945
Sex pheromone, 945
amitraz,
Boophilus microplus, 645
discriminating dose, 645
resistance, 645
Rhipicephalus sanguineus, 645
southern cattle tick, 645
annual mean temperature,
Aedes albopictus, 4
geographical information system, 4
Japan, 4
northern distribution, 4
Tohoku district, 4
Anopheles, 28, 244, 324, 556
circumsporozoite protein, 324
co-infection, 556
diagnostics, 244
dipstick assay, 324
enzyme-linked immunosorbent assay, 244, 324
females, 28
keys, 28
larvae, 28
Pakistan, 28
phenotype VK210, 556
phenotype VK247, 556
Plasmodium falciparum, 324
Plasmodium vivax, 244, 324, 556
Republic of Korea, 244
vivax malaria, 244
Anopheles albimanus, 61, 825
cyanobacteria, 825
encapsulation, 61
hemocytes, 61
insect immunity, 61
larval feeding, 825
larval habitat, 825
malaria, 61
Mexico, 825
mosquito ecology, 825
phenoloxidase, 61
Anopheles albitarsis,
gonotrophic cycle duration, 926
mark-release-recapture, 926
vectorial capacity, 926
Anopheles aquasalis,
Amazon Delta, 861
malaria vector, 861
Nested Clade Analysis, 861
northeastern Brazil, 861
phylogeographic structure, 861
Anopheles arabiensis,
Anopheles funestus, 833
Anopheles gambiae, 70, 833
Anopheles gambiae s.s., 70
Great Rift Valley, 833
habitat differences, 70
hybrid, 70
Kenya, 833
malaria, 833
Mopti Savannah, 70
Anopheles campestris,
malaria transmission, 583
potential vector, 583
Anopheles dunhami,
Anopheles nuneztovari, 613
Anopheles rangeli, 613
Brazilian Amazon, 613
isozyme, 613
Nyssorhynchus subgenus, 613
Anopheles funestus,
Anopheles arabiensis, 833
Anopheles gambiae, 350, 833
Anopheles moucheti, 350
Anopheles nili, 350
anopheline, 350
chromosomal inversions, 78
Great Rift Valley, 833
Kenya, 78, 833
malaria, 78, 350, 833
variability, 78
Anopheles gambiae, 70, 162, 545
Aedes aegypti, 545
algae, 162
Anopheles arabiensis, 70, 833
Anopheles funestus, 350, 833
Anopheles gambiae s.s., 70
Anopheles moucheti, 350
Anopheles nili, 350
Anopheles sacharovi, 870
anopheline, 350
bacteria, 162
behavior, 942
Bifenthrin, 526
chromosome inversions, 568
copulation, 942
Cote d'Ivoire, 568
Culex quinquefasciatus, 526
cuticular hydrocarbons, 545
density-dependence, 162
eurygamy, 942
genetic distance, 870
genetics, 942
Great Rift Valley, 833
habitat differences, 70
heterosis, 568
hybrid, 70
insecticide resistance, 568
Kenya, 833
Knockdown resistance mutation, 870
larvae, 162
malaria, 350, 526, 833
Mali, 568
mating behavior, 545
melanization, 84
Mopti Savannah, 70
mosquito net, 526
mosquitoes, 545
nuisance, 526
nutrients, 162
Plasmodium falciparum, 84
refractoriness., 84
stenogamy, 942
Anopheles gambiae s.s,
Anopheles arabiensis, 70
Anopheles gambiae, 70
Eucalyptus citriodora, 736
habitat differences, 70
hybrid, 70
Mopti Savannah, 70
p-menthane-3!8-diol, 736
repellency, 736
stereoisomers, 736
Anopheles grabhamii,
exotic species, 430
United States, 430
Anopheles maculipennis complex,
climate change, 621
Europe, 621
malaria, 621
remote sensing, 621
risk maps, 621
Anopheles minimus,
Anopheles saperoi, 146
Anopheles sinensis, 146
Anopheles stephensi, 146
Plasmodium yoelii nigeriense, 146
susceptibility, 146
Anopheles moucheti,
Anopheles funestus, 350
Anopheles gambiae, 350
Anopheles nili, 350
anopheline, 350
malaria, 350
Anopheles nili,
Anopheles funestus, 350
Anopheles gambiae, 350
Anopheles moucheti, 350
anopheline, 350
malaria, 350
Anopheles nuneztovari,
Anopheles dunhami, 613
Anopheles rangeli, 613
Brazilian Amazon, 613

isozyme, 613
Nyssorhynchus subgenus, 613
Anopheles punctulatus group,
distribution, 16
Papua New Guinea, 16
speciation, 16
Anopheles rangeli,
Anopheles dunhami, 613
Anopheles nuneztovari, 613
Brazilian Amazon, 613
isozyme, 613
Nyssorhynchus subgenus, 613
Anopheles sacharovi, 446, 870
Anopheles gambiae, 870
Armenia, 446
genetic distance, 870
Knockdown resistance mutation, 870
malaria, 446
malaria vectors, 446
Anopheles saperoi,
Anopheles minimus, 146
Anopheles sinensis, 146
Anopheles stephensi, 146
Plasmodium yoelii nigeriense, 146
susceptibility, 146
Anopheles sinensis,
Anopheles minimus, 146
Anopheles saperoi, 146
Anopheles stephensi, 146
Plasmodium yoelii nigeriense, 146
susceptibility, 146
Anopheles stephensi, 146, 207
Anopheles minimus, 146
Anopheles saperoi, 146
Anopheles sinensis, 146
anti-mosquito antibodies, 207
midgut microvilli, 207
Plasmodium berghei malaria, 207
Plasmodium yoelii nigeriense, 146
susceptibility, 146
anopheline,
Anopheles funestus, 350
Anopheles gambiae, 350
Anopheles moucheti, 350
Anopheles nili, 350
malaria, 350
antenna, 36, 705
Chagas' disease, 705
Dermatobia, 36
Diptera, 36
nymphs, 705
semiochemical., 36
sensilla, 36
Triatoma guazu, 705
Triatoma jurbergi, 705
Triatominae, 705
ultrastructure, 36
antibacterial proteins,
blowfly, 931
Calliphora vicina, 931
Cecropin B, 931
Escherichia coli, 931
microinjection, 931
antibody,
Bovine lymphocytes, 900
lymphocyte suppression, 900
mitogen stimulation, 900
anti-mosquito antibodies,
Anopheles stephensi, 207
midgut microvilli, 207
Plasmodium berghei malaria, 207
Arachnida,
Loxosceles reclusa, 948
synanthropy, 948
arbovirus,
Culex tarsalis, 226
diapause, 226
enzyme immunoassay, 312
reverse transcription-polymerase chain reaction, 312
St. Louis encephalitis virus, 226
surveillance, 312
virus isolation, 312
western equine encephalomyelitis virus, 226
arbovirus vector,
Culex annulirostris, 362
Culex palpalis, 362
Culex sitiens, 362
polymerase chain reaction–restriction fragment-length polymorphism, 362
sibling species, 362
Armenia,
Anopheles sacharovi, 446
malaria, 446
malaria vectors, 446
Armigeres subalbatus,
melanization, 266
mosquito, 266
prophenoloxidase, 266
wound healing, 266
arthropod-borne disease,
livestock, 680
sand flies, 680
vectors, 680
vesicular stomatitis, 680
western United States, 680
arthropod-borne pathogens,
disease eradication, 405
foreign animal disease introductions, 405
artificial feeding, 285, 675
bedbugs, 675
Borrelia burgdorferi, 285
capillary feeding, 285
Cimex lectularius, 675
Ixodes scapularis, 285
Lyme disease, 285
ticks, 285
attractant, 130, 191
bacteria, 130
Chagas disease, 191
Cochliomyia hominivorax, 130
oviposition stimulant, 130
pheromone, 191
Triatoma infestans, 191
Triatomine, 191
Australia,
alphaviruses, 99, 786
flaviviruses, 786
mosquitoes, 786
Ochlerotatus vigilax, 99
Queensland, 786
Ross River virus, 99
temperature, 99
vector competence, 99
virus isolation, 786

B

Babesia equi,
Amblyomma americanum, 667
Boophilus microplus, 667
equids, 667
ticks, 667
vectors, 667
Bacillus sphaericus, 513, 729
Bacillus thuringiensis ssp. *israelensis*, 513
Culex pipiens, 729
Culex quinquefasciatus, 513
gene identification, 729
resistance, 513, 729
resistance management, 513
toxin-receptor binding, 729
Bacillus thuringiensis ssp. *israelensis*,
Bacillus sphaericus, 513
Culex quinquefasciatus, 513
resistance, 513
resistance management, 513
bacteria, 130, 162
algae, 162
Anopheles gambiae, 162
attractant, 130
Cochliomyia hominivorax, 130
density-dependence, 162
larvae, 162
nutrients, 162
oviposition stimulant, 130
bagging,
geographical information system, 485
Ixodes ricinus, 485
Lyme disease, 485
risk prediction, 485
tree-based classifiers, 485
Bartonella henselae,
cat fleas, 915
cat scratch disease, 915
Ctenocephalides felis, 915
transmission, 915
Bartonella quintana,
body lice, 427
detection, 427
polymerase chain reaction, 427
trench fever, 427
basic reproduction number,
nonsystemic transmission, 417
vesicular stomatitis virus, 417
Basque Country,
Borrelia burgdorferi sensu lato, 177
Ixodes ricinus, 177
risk index, 177
Spain, 177
bat ectoparasites, 298, 343
Acari, 343
Eudusbabekia provirilia n. sp., 343
Leptonycteris nivalis, 343
Myobiidae, 343
Periglischrus eurysternus, 298
Periglischrus steresotrichus, 298

Spinturnicidae, 298
Tonatia, 298
bedbugs,
artificial feeding, 675
Cimex lectularius, 675
behavior, 121, 127, 331, 942
Aedes aegypti, 331
Anopheles gambiae, 942
control, 127
copulation, 942
eurygamy, 942
genetics, 942
management, 127
midgut endocrine system, 331
nervous system, 331
olfaction, 121
oviposition, 121
peptide hormone, 331
stenogamy, 942
Stomoxys calcitrans, 127
Toxorhynchites amboinensis, 121
Toxorhynchites moctezuma, 121
traps, 127
Bifenthrin,
Anopheles gambiae, 526
Culex quinquefasciatus, 526
malaria, 526
mosquito net, 526
nuisance, 526
bioassay, 742, 895
colonization, 742
Ctenocephalides felis, 742
insecticide resistance, 742
multiple resistance, 742
Ochlerotatus taeniorhynchus repellent field testing, 895
tolerance, 742
biological control, 52, 106, 723
blacklegged tick, 723
Carcinops pumilio, 106
dispersal, 106
entomopathogenic fungi, 723
house fly, 52, 106
Ixodes scapularis, 723
livestock entomology, 52
Lyme disease, 723
Metarhizium anisopliae, 723
parasitism, 52
polymerase chain reaction-restriction fragment-length polymorphism, 52
poultry, 106
stable fly, 52
biology,
Ixodes didelphidis, 135
Ixodes loricatus, 135
second internal transcribed spacer, 135
spiracular plate, 135
birds,
blood feeding habits, 777
Culex, 777
mosquitoes, 777
West Nile virus, 777
biting index,
Aedes, 493
community education, 493
Culex, 493
mosquito control, 493
Polynesia, 493
black flies,
cytogenetics, 293
laboratory colonization, 293
polytene chromosomes, 293
Simulium vittatum, 293
blacklegged tick, 237, 723
Amblyomma americanum, 237
biological control, 723
entomopathogenic fungi, 723
host-seeking, 237
Ixodes scapularis, 237, 723
lone star tick, 237
Lyme disease, 237, 723
Metarhizium anisopliae, 723
blood feeding habits,
birds, 777
Culex, 777
mosquitoes, 777
West Nile virus, 777
bloodmeal,
esterases, 720
isoelectrofocusing, 720
sand flies, 720
trypsin inhibitors, 720
bloodmeal identification,
dot enzyme-linked immunoabsorbent assay, 440
feeding behavior, 440
forage ratio, 440
host selectivity index, 440
Lutzomyia pseudolongipalpis, 440
blowfly,
antibacterial proteins, 931
Calliphora vicina, 931
Cecropin B, 931
Escherichia coli, 931
microinjection, 931
body lice,
Bartonella quintana, 427
detection, 427
polymerase chain reaction, 427
trench fever, 427
body size,
Aedes albopictus, 699
Aedes geniculatus, 699
fecundity, 699
wing length, 699
Boophilus microplus, 278, 645, 667, 763, 770
Amblyomma americanum, 667
amitraz, 645
Babesia equi, 667
cattle tick, 763
control, 763
coumaphos, 278
diagnostic, 770
discriminating dose, 645
equids, 667
esterases, 278
in vitro culture, 278
ivermectin, 763
macrocyclic lactone, 763
moxidectin, 763
mutation, 770
organophosphate resistance, 278
polymerase chain reaction, 770
resistance, 645
resistance mechanism, 770
Rhipicephalus sanguineus, 645
sodium channel, 770
southern cattle tick, 645
tick cell lines, 278
ticks, 667
vectors, 667
Borrelia burgdorferi, 198, 218, 285, 509
artificial feeding, 285
capillary feeding, 285
human granulocytic ehrlichiosis, 218
Ixodes scapularis, 218, 285, 509
Lyme disease, 198, 285, 509
Minnesota, 218
rodents, 198
South Carolina, 198
tick removal, 509
ticks, 198, 285
Borrelia burgdorferi sensu lato,
Basque Country, 177
Ixodes ricinus, 177
risk index, 177
Spain, 177
Bovine lymphocytes,
antibody, 900
lymphocyte suppression, 900
mitogen stimulation, 900
Brazilian Amazon,
Anopheles dunhami, 613
Anopheles nuneztovari, 613
Anopheles rangeli, 613
isozyme, 613
Nyssorhynchus subgenus, 613
Brindley's gland,
exocrine compounds, 256
Rhodnius prolixus, 256
Triatominae, 256
Brugia malayi,
elephantiasis, 215
human lymphatic filariasis, 215
Malaysia, 215
Mansonia indiana, 215

C

Calliphora vicina,
antibacterial proteins, 931
blowfly, 931
Cecropin B, 931
Escherichia coli, 931
microinjection, 931
capillary feeding, 285, 809
artificial feeding, 285
Borrelia burgdorferi, 285
Ixodes scapularis, 285
Lyme disease, 285
rickettsiae, 809
ticks, 285
transovarial transmission, 809
Carcinops pumilio,
biological control, 106
dispersal, 106
house fly, 106
poultry, 106
Cardisoma carnifex,
Aedes polynesiensis, 658
Culex spp., 658

French Polynesia, 658
land crab, 658
mosquito control, 658
cat flea, 370, 475, 671, 685, 889, 915
Bartonella henselae, 915
cat scratch disease, 915
Ctenocephalides felis, 370, 475, 685, 889, 915
Ctenocephalides felis felis, 671
fenoxycarb, 889
flea eggs, 671
grooming behavior, 685
imidacloprid, 671
insemination, 370, 475
juvenile hormone, 475
larval bioassay, 671
methoprene, 889
on-animal control, 685
on-host distribution, 685
pyriproxyfen, 889
sodium chloride, 370
sperm transfer, 475
transmission, 915
weight gain, 370
cat scratch disease,
Bartonella henselae, 915
cat fleas, 915
Ctenocephalides felis, 915
transmission, 915
cattle tick,
Boophilus microplus, 763
control, 763
ivermectin, 763
macrocyclic lactone, 763
moxidectin, 763
CDC light traps,
gravid traps, 920
mosquito, 920
Ochlerotatus japonicus, 920
trapping efficiency, 920
Cecropin B,
antibacterial proteins, 931
blowfly, 931
Calliphora vicina, 931
Escherichia coli, 931
microinjection, 931
Chagas' disease,
antenna, 705
attractant, 191
microclimate, 716
nymphs, 705
Panstrongylus megistus, 716
pheromone, 191
starvation, 716
thermopreference, 716
Triatoma guazu, 705
Triatoma infestans, 191
Triatoma jurbergi, 705
Triatominae, 705
triatominae, 716
Triatomine, 191
chemotaxis,
microfilaria, 908
Onchocerca, 908
orientation, 908
Simulium, 908
vector, 908
chiggers, 521, 553
Acari, 553
Chiroptera, 553
ectoparasites, 553
host-parasite relationships, 553
Leptotrombidium chiangraiensis, 521
Leptotrombidium deliense, 521
Leptotrombidium imphalum, 521
mites, 553
Orientia tsutsugamushi, 521
transmission, 521
Chiroptera,
Acari, 553
chiggers, 553
ectoparasites, 553
host-parasite relationships, 553
mites, 553
chromosomal inversions,
Anopheles funestus, 78
Anopheles gambiae, 568
Cote d'Ivoire, 568
heterosis, 568
insecticide resistance, 568
Kenya, 78
malaria, 78
Mali, 568
variability, 78
Cimex lectularius,
artificial feeding, 675
bedbugs, 675
circumsporozoite protein,
Anopheles, 324
dipstick assay, 324
enzyme-linked immunosorbent assay, 324
Plasmodium falciparum, 324
Plasmodium vivax, 324
cliff swallow,
Aedes vexans, 115
coloniality, 115
Culex tarsalis, 115
mosquito attraction, 115
Petrochelidon pyrrhonota, 115
climate change,
Anopheles maculipennis complex, 621
Europe, 621
malaria, 621
remote sensing, 621
risk maps, 621
Cochliomyia hominivorax,
attractant, 130
bacteria, 130
oviposition stimulant, 130
co-infection,
Anopheles, 556
phenotype VK210, 556
phenotype VK247, 556
Plasmodium vivax, 556
Colombia, 451, 601
Leishmania braziliensis, 451
Leishmania chagasi, 451
Lutzomyia, 601
Lutzomyia evansi, 451
Lutzomyia longipalpis, 451
new species, 601
Putumayo, 601
Trichophoromyia, 601
coloniality,
Aedes vexans, 115
cliff swallow, 115
Culex tarsalis, 115
mosquito attraction, 115
Petrochelidon pyrrhonota, 115
colonization,
bioassay, 742
Ctenocephalides felis, 742
insecticide resistance, 742
multiple resistance, 742
tolerance, 742
community education,
Aedes, 493
biting index, 493
Culex, 493
mosquito control, 493
Polynesia, 493
comparative behavior,
adults, 234
Ixodes ricinus, 234
nymphs, 234
control, 127, 469, 763
Aedes, 469
behavior, 127
Boophilus microplus, 763
cattle tick, 763
ivermectin, 763
macrocyclic lactone, 763
management, 127
Mesocyclops, 469
moxidectin, 763
north Queensland, 469
Ochlerotatus, 469
Stomoxys calcitrans, 127
subterranean, 469
traps, 127
copulation, 847, 942
Anopheles gambiae, 942
behavior, 942
eurygamy, 942
genetics, 942
Ixodes, 847
remating inhibition, 847
spermatophore, 847
stenogamy, 942
Cote d'Ivoire,
Anopheles gambiae, 568
chromosome inversions, 568
heterosis, 568
insecticide resistance, 568
Mali, 568
coumaphos,
Boophilus microplus, 278
esterases, 278
in vitro culture, 278
organophosphate resistance, 278
tick cell lines, 278
Ctenocephalides felis, 370, 475, 685, 742, 889, 915
Bartonella henselae, 915
bioassay, 742
cat flea, 370, 475, 685, 889, 915
cat scratch disease, 915
colonization, 742
fenoxycarb, 889
grooming behavior, 685

insecticide resistance, 742
insemination, 370, 475
juvenile hormone, 475
methoprene, 889
multiple resistance, 742
on-animal control, 685
on-host distribution, 685
pyriproxyfen, 889
sodium chloride, 370
sperm transfer, 475
tolerance, 742
transmission, 915
weight gain, 370
Ctenocephalides felis felis,
cat flea, 671
flea eggs, 671
imidacloprid, 671
larval bioassay, 671
Culex, 493, 574, 777
adult control, 574
Aedes, 493
birds, 777
biting index, 493
blood feeding habits, 777
community education, 493
microdistribution, 574
mosquito control, 493
mosquitoes, 777
non-attractant traps, 574
Polynesia, 493
pyrethrum, 574
ultra low volume, 574
West Nile virus, 777
Culex annulirostris,
arbovirus vector, 362
Culex palpalis, 362
Culex sitiens, 362
polymerase chain reaction–restriction fragment-length polymorphism, 362
sibling species, 362
Culex nigripalpus,
Diptera, 854
geographic variation, 854
isozyme electrophoresis, 854
population genetics, 854
temporal variation, 854
Culex palpalis,
arbovirus vector, 362
Culex annulirostris, 362
Culex sitiens, 362
polymerase chain reaction–restriction fragment-length polymorphism, 362
sibling species, 362
Culex pipiens, 1, 221, 640, 729, 806
Bacillus sphaericus, 729
detection, 1
eastern equine encephalomyelitis, 806
environmental temperature, 221
gene identification, 729
mosquitoes, 806
Ochlerotatus atropalpus, 806
Ochlerotatus taeniorhynchus, 806
resistance, 729
surveillance, 1
toxin-receptor binding, 729
Triethylamine, 806
vertical transmission, 640
West Nile virus, 1, 221, 640
Culex pipiens pallens,
Culex quinquefasciatus, 185
high temperature, 185
reproduction, 185
survival, 185
Culex quinquefasciatus, 185, 513, 526
Anopheles gambiae, 526
Bacillus sphaericus, 513
Bacillus thuringiensis ssp. *israelensis*, 513
Bifenthrin, 526
Culex pipiens pallens, 185
high temperature, 185
malaria, 526
mosquito net, 526
nuisance, 526
reproduction, 185
resistance, 513
resistance management, 513
survival, 185
Culex sitiens,
arbovirus vector, 362
Culex annulirostris, 362
Culex palpalis, 362
polymerase chain reaction–restriction fragment-length polymorphism, 362
sibling species, 362
Culex spp.,
Aedes polynesiensis, 658
Cardisoma carnifex, 658
French Polynesia, 658
land crab, 658
mosquito control, 658
Culex tarsalis, 115, 226, 793
Aedes vexans, 115
arbovirus, 226
cliff swallow, 115
coloniality, 115
diapause, 226
enzootic transmission, 793
molecular genetics, 793
mosquito attraction, 115
over wintering, 793
Petrochelidon pyrrhonota, 115
St. Louis encephalitis virus, 226, 793
surveillance, 793
western equine encephalomyelitis virus, 226
cutaneous leishmaniasis,
Leishmania tropica, 12
sand fly, 12
cuticular hydrocarbons,
Aedes aegypti, 545
Anopheles gambiae, 545
mating behavior, 545
mosquitoes, 545
cyanobacteria,
Anopheles albimanus, 825
larval feeding, 825
larval habitat, 825
Mexico, 825
mosquito ecology, 825
cytochrome b,
Lutzomyia longipalpis, 689
molecular methods, 689
population genetics, 689
sand fly, 689
single strand conformation polymorphism, 689
cytochrome oxidase I,
lice, 662
Pediculidae, 662
Pediculus capitis, 662
Pediculus humanus, 662
Phthiraptera, 662
cytogenetics,
black flies, 293
laboratory colonization, 293
polytene chromosomes, 293
Simulium vittatum, 293

D

dairy herd,
Hematobia irritans, 939
Mexico, 939
pyrethroid susceptibility, 939
deet,
N, 541
N-diethyl-3-methylbenzamide, 541
picaridin, 541
repellents, 541
Verrallina lineata, 541
DEET vapor,
human subject, 935
Mosquito, 935
wind, 935
defecation behavior,
Rhodnius prolixus, 44
Trypanosoma cruzi, 44
vector potential, 44
dengue fever,
Aedes aegypti, 143
epidemiology, 143
key container, 143
subterranean, 143
density-dependence,
algae, 162
Anopheles gambiae, 162
bacteria, 162
larvae, 162
nutrients, 162
Der p 1,
acaricide, 755
allergen avoidance, 755
house dust mite, 755
permethrin, 755
placebo-controlled, 755
Dermacentor variabilis, 376, 945
2,4-dichlorophenol, 945
2,6-dichlorophenol, 945
American dog tick, 945
Escherichia coli, 376
nodulation, 376
resistance, 376
Sex pheromone, 945
Dermatobia,
antenna, 36
Diptera, 36

semiochemical., 36
sensilla, 36
ultrastructure, 36
desert,
fleas, 875
water balance, 875
Xenopsylla, 875
detection, 1, 427
Bartonella quintana, 427
body lice, 427
Culex pipiens, 1
polymerase chain reaction, 427
surveillance, 1
trench fever, 427
West Nile virus, 1
diagnostic,
Anopheles, 244
Boophilus microplus, 770
enzyme-linked immunosorbent assay, 244
mutation, 770
Plasmodium vivax, 244
polymerase chain reaction, 770
Republic of Korea, 244
resistance mechanism, 770
sodium channel, 770
vivax malaria, 244
diapause,
arbovirus, 226
Culex tarsalis, 226
St. Louis encephalitis virus, 226
western equine encephalomyelitis virus, 226
2,4-dichlorophenol,
2,6-dichlorophenol, 945
American dog tick, 945
Dermacentor variabilis, 945
Sex pheromone, 945
2,6-dichlorophenol,
2,4-dichlorophenol, 945
American dog tick, 945
Dermacentor variabilis, 945
Sex pheromone, 945
dipstick assay,
Anopheles, 324
circumsporozoite protein, 324
enzyme-linked immunosorbent assay, 324
Plasmodium falciparum, 324
Plasmodium vivax, 324
Diptera, 36, 854
antenna, 36
Culex nigripalpus, 854
Dermatobia, 36
geographic variation, 854
isozyme electrophoresis, 854
population genetics, 854
semiochemical., 36
sensilla, 36
temporal variation, 854
ultrastructure, 36
discriminating dose,
amitraz, 645
Boophilus microplus, 645
resistance, 645
Rhipicephalus sanguineus, 645
southern cattle tick, 645
disease eradication,
arthropod-borne pathogens, 405
foreign animal disease introductions, 405
dispersal,
biological control, 106
Carcinops pumilio, 106
house fly, 106
poultry, 106
distribution,
Anopheles punctulatus group, 16
Papua New Guinea, 16
speciation, 16
dogs,
Acarina, 112
Georgia, 112
dot enzyme-linked immuno-absorbent assay,
bloodmeal identification, 440
feeding behavior, 440
forage ratio, 440
host selectivity index, 440
Lutzomyia pseudolongipalpis, 440

E

eastern equine encephalitis virus,
Ochlerotatus j. japonicus, 480
transmission, 480
vector competence, 480
eastern equine encephalomyelitis,
Culex pipiens, 806
mosquitoes, 806
Ochlerotatus atropalpus, 806
Ochlerotatus taeniorhynchus, 806
Triethylamine, 806
ectoparasites,
Acari, 553
chiggers, 553
Chiroptera, 553
host-parasite relationships, 553
mites, 553
Egypt,
isolation, 248
mosquitoes, 248
virus, 248
elephantiasis,
Brugia malayi, 215
human lymphatic filariasis, 215
Malaysia, 215
Mansonia indiana, 215
emerging disease,
human granulocytic ehrlichiosis, 251
Ixodes scapularis, 251
Ixodidae, 251
prevalence, 251
encapsulation,
Anopheles albimanus, 61
hemocytes, 61
insect immunity, 61
malaria, 61
phenoloxidase, 61
endosymbionts,
Ixodes woodi, 534
Rickettsiella, 534
ticks, 534
entomopathogenic fungi,
biological control, 723
blacklegged tick, 723
Ixodes scapularis, 723
Lyme disease, 723
Metarhizium anisopliae, 723
environment,
flea, 818
Microtus californicus, 818
nest, 818
population, 818
vole, 818
environmental temperature,
Culex pipiens, 221
West Nile virus, 221
enzootic transmission,
Culex tarsalis, 793
molecular genetics, 793
over wintering, 793
St. Louis encephalitis virus, 793
surveillance, 793
enzyme immunoassay,
arboviruses, 312
reverse transcription-polymerase chain reaction, 312
surveillance, 312
virus isolation, 312
enzyme-linked immunosorbent assay, 244, 324
Anopheles, 244, 324
circumsporozoite protein, 324
diagnostics, 244
dipstick assay, 324
Plasmodium falciparum, 324
Plasmodium vivax, 244, 324
Republic of Korea, 244
vivax malaria, 244
epidemiology,
Aedes aegypti, 143
dengue fever, 143
key container, 143
subterranean, 143
equids,
Amblyomma americanum, 667
Babesia equi, 667
Boophilus microplus, 667
ticks, 667
vectors, 667
Escherichia coli, 376, 931
antibacterial proteins, 931
blowfly, 931
Calliphora vicina, 931
Cecropin B, 931
Dermacentor variabilis, 376
microinjection, 931
nodulation, 376
resistance, 376
esterase,
Aedes aegypti, 882
bloodmeal, 720
Boophilus microplus, 278
coumaphos, 278
glutathione-S-transferase, 882
in vitro culture, 278
isoelectrofocusing, 720
organophosphate, 882
organophosphate resistance, 278
pyrethroid, 882

resistance, 882
sand flies, 720
tick cell lines, 278
trypsin inhibitors, 720
Eucalyptus citriodora,
Anopheles gambiae s.s, 736
p-menthane-3,8-diol, 736
repellency, 736
stereoisomers, 736
Eudusbabekia provirilia n. sp.,
Acari, 343
bat ectoparasites, 343
Leptonycteris nivalis, 343
Myobiidae, 343
Europe,
Anopheles maculipennis complex, 621
climate change, 621
malaria, 621
remote sensing, 621
risk maps, 621
eurygamy,
Anopheles gambiae, 942
behavior, 942
copulation, 942
genetics, 942
stenogamy, 942
exocrine compounds,
Brindley's gland, 256
Rhodnius prolixus, 256
Triatominae, 256
exotic species,
Anopheles grabhamii, 430
United States, 430
experimental lotions,
aliphatic alcohols, 457
Pediculus humanus capitis, 457
permethrin resistance, 457

F

fecundity,
Aedes albopictus, 699
Aedes geniculatus, 699
body size, 699
wing length, 699
feeding behavior,
bloodmeal identification, 440
dot enzyme-linked immunoabsorbent assay, 440
forage ratio, 440
host selectivity index, 440
Lutzomyia pseudolongipalpis, 440
females,
Anopheles, 28
keys, 28
larvae, 28
Pakistan, 28
fenoxycarb,
cat fleas, 889
Ctenocephalides felis, 889
methoprene, 889
pyriproxyfen, 889
fipronil,
imidacloprid, 152
Oropsylla montana, 152
plague, 152
Spermophilus beecheyi, 152
topical insecticides, 152
flaviviruses,
alphaviruses, 786
Australia, 786
mosquitoes, 786
Queensland, 786
virus isolation, 786
flea,
desert, 875
environment, 818
Microtus californicus, 818
nest, 818
population, 818
vole, 818
water balance, 875
Xenopsylla, 875
flea eggs,
cat flea, 671
Ctenocephalides felis felis, 671
imidacloprid, 671
larval bioassay, 671
forage ratio,
bloodmeal identification, 440
dot enzyme-linked immunoabsorbent assay, 440
feeding behavior, 440
host selectivity index, 440
Lutzomyia pseudolongipalpis, 440
foreign animal disease introductions,
arthropod-borne pathogens, 405
disease eradication, 405
French Polynesia,
Aedes polynesiensis, 658
Cardisoma carnifex, 658
Culex spp., 658
land crab, 658
mosquito control, 658

G

gene identification,
Bacillus sphaericus, 729
Culex pipiens, 729
resistance, 729
toxin-receptor binding, 729
genetic distance,
Anopheles gambiae, 870
Anopheles sacharovi, 870
Knockdown resistance mutation, 870
genetics,
Anopheles gambiae, 942
behavior, 942
copulation, 942
eurygamy, 942
stenogamy, 942
geographic variation,
Culex nigripalpus, 854
Diptera, 854
isozyme electrophoresis, 854
population genetics, 854
temporal variation, 854
geographical information system, 4, 485
Aedes albopictus, 4
annual mean temperature, 4
bagging, 485
Ixodes ricinus, 485
Japan, 4
Lyme disease, 485
northern distribution, 4
risk prediction, 485
Tohoku district, 4
tree-based classifiers, 485
Georgia,
Acarina, 112
dogs, 112
glutathione-S-transferase,
Aedes aegypti, 882
esterase, 882
organophosphate, 882
pyrethroid, 882
resistance, 882
gonotrophic cycle duration,
Anopheles albitarsis, 926
mark-release-recapture, 926
vectorial capacity, 926
gravid traps,
CDC light traps, 920
mosquito, 920
Ochlerotatus japonicus, 920
trapping efficiency, 920
Great Rift Valley,
Anopheles arabiensis, 833
Anopheles funestus, 833
Anopheles gambiae, 833
Kenya, 833
malaria, 833
grooming behavior,
cat flea, 685
Ctenocephalides felis, 685
on-animal control, 685
on-host distribution, 685

H

habitat differences,
Anopheles arabiensis, 70
Anopheles gambiae s.s., 70
hybrid, 70
Mopti Savannah, 70
Haemaphysalis longicornis,
acquired immunity, 173
IFN-γ $-/-$ mice, 173
Th2 polarization, 173
Haematobia irritans,
mutation, 747
overwintering, 747
polymerase chain reaction, 747
resistance mechanism, 747
sodium channel, 747
Hematobia irritans,
dairy herd, 939
Mexico, 939
pyrethroid susceptibility, 939
hemocytes,
Anopheles albimanus, 61
encapsulation, 61
insect immunity, 61
malaria, 61
phenoloxidase, 61
hepatitis B virus,
mosquitoes, 605
polymerase chain reaction, 605
Hepatozoon,
Amblyomma, 631
ixodids, 631
Rhipicephalus, 631
tick-borne, 631

vector, 631
Hermetia illucens,
insect based feedstuff, 695
manure digestion, 695
waste management, 695
heterosis,
Anopheles gambiae, 568
chromosome inversions, 568
Cote d'Ivoire, 568
insecticide resistance, 568
Mali, 568
high temperature,
Culex pipiens pallens, 185
Culex quinquefasciatus, 185
reproduction, 185
survival, 185
histochemistry,
Lutzomyia longipalpis, 432
midgut, 432
N-acetyl-galactosamine, 432
Phlebotominae, 432
host selectivity index,
bloodmeal identification, 440
dot enzyme-linked immunosorbent assay, 440
feeding behavior, 440
forage ratio, 440
Lutzomyia pseudolongipalpis, 440
host-parasite relationships,
Acari, 553
chiggers, 553
Chiroptera, 553
ectoparasites, 553
mites, 553
host-seeking,
Amblyomma americanum, 237
blacklegged tick, 237
Ixodes scapularis, 237
lone star tick, 237
Lyme disease, 237
host-seeking behavior,
humidity, 842
Ixodes scapularis, 842
temperature, 842
house dust mite,
acaricide, 755
allergen avoidance, 755
Der p 1, 755
permethrin, 755
placebo-controlled, 755
house fly, 52, 106
biological control, 52, 106
Carcinops pumilio, 106
dispersal, 106
livestock entomology, 52
parasitism, 52
polymerase chain reaction-restriction fragment-length polymorphism, 52
poultry, 106
stable fly, 52
human granulocytic ehrlichiosis, 218, 251
Borrelia burgdorferi, 218
emerging disease, 251
Ixodes scapularis, 218, 251
Ixodidae, 251
Minnesota, 218
prevalence, 251
human lymphatic filariasis,
Brugia malayi, 215
elephantiasis, 215
Malaysia, 215
Mansonia indiana, 215
human subject,
DEET vapor, 935
Mosquito, 935
wind, 935
humidity,
host-seeking behavior, 842
Ixodes scapularis, 842
temperature, 842
hybrid,
Anopheles arabiensis, 70
Anopheles gambiae s.s., 70
habitat differences, 70
Mopti Savannah, 70

I

IFN-γ −/− mice,
acquired immunity, 173
Haemaphysalis longicornis, 173
Th2 polarization, 173
imidacloprid, 152, 671
cat flea, 671
Ctenocephalides felis felis, 671
fipronil, 152
flea eggs, 671
larval bioassay, 671
Oropsylla montana, 152
plague, 152
Spermophilus beecheyi, 152
topical insecticides, 152
in vitro culture,
Boophilus microplus, 278
coumaphos, 278
esterases, 278
organophosphate resistance, 278
tick cell lines, 278
indirect enzyme-linked immunosorbent assay,
Italy, 652
Oestrus ovis, 652
prevalence, 652
sheep, 652
insect based feedstuff,
Hermetia illucens, 695
manure digestion, 695
waste management, 695
insect immunity,
Anopheles albimanus, 61
encapsulation, 61
hemocytes, 61
malaria, 61
phenoloxidase, 61
insecticide resistance, 568, 742
Anopheles gambiae, 568
bioassay, 742
chromosome inversions, 568
colonization, 742
Cote d'Ivoire, 568
Ctenocephalides felis, 742
heterosis, 568
Mali, 568
multiple resistance, 742
tolerance, 742
insemination, 370, 475
cat flea, 370, 475
Ctenocephalides felis, 370, 475
juvenile hormone, 475
sodium chloride, 370
sperm transfer, 475
weight gain, 370
isoelectrofocusing,
bloodmeal, 720
esterases, 720
sand flies, 720
trypsin inhibitors, 720
isolation,
Egypt, 248
mosquitoes, 248
virus, 248
isozyme,
Anopheles dunhami, 613
Anopheles nuneztovari, 613
Anopheles rangeli, 613
Brazilian Amazon, 613
Nyssorhynchus subgenus, 613
isozyme electrophoresis,
Culex nigripalpus, 854
Diptera, 854
geographic variation, 854
population genetics, 854
temporal variation, 854
Italy,
indirect enzyme-linked immunosorbent assay, 652
Oestrus ovis, 652
prevalence, 652
sheep, 652
ivermectin,
Boophilus microplus, 763
cattle tick, 763
control, 763
macrocyclic lactone, 763
moxidectin, 763
Ixodes,
copulation, 847
remating inhibition, 847
spermatophore, 847
Ixodes didelphidis,
biology, 135
Ixodes loricatus, 135
second internal transcribed spacer, 135
spiracular plate, 135
Ixodes loricatus,
biology, 135
Ixodes didelphidis, 135
second internal transcribed spacer, 135
spiracular plate, 135
Ixodes ricinus, 177, 234, 485
adults, 234
bagging, 485
Basque Country, 177
Borrelia burgdorferi sensu lato, 177
comparative behavior, 234
geographical information system, 485
Lyme disease, 485
nymphs, 234
risk index, 177

risk prediction, 485
Spain, 177
tree-based classifiers, 485
Ixodes scapularis, 218, 237, 251, 285, 509, 723, 842
Amblyomma americanum, 237
artificial feeding, 285
biological control, 723
blacklegged tick, 237, 723
Borrelia burgdorferi, 218, 285, 509
capillary feeding, 285
emerging disease, 251
entomopathogenic fungi, 723
host-seeking, 237
host-seeking behavior, 842
human granulocytic ehrlichiosis, 218, 251
humidity, 842
Ixodidae, 251
lone star tick, 237
Lyme disease, 237, 285, 509, 723
Metarhizium anisopliae, 723
Minnesota, 218
prevalence, 251
temperature, 842
tick removal, 509
ticks, 285
Ixodes woodi,
endosymbionts, 534
Rickettsiella, 534
ticks, 534
Ixodidae, 251, 398
Amblyomma geochelone, 398
emerging disease, 251
human granulocytic ehrlichiosis, 251
Ixodes scapularis, 251
Madagascan ploughshare tortoise, 398
Madagascar, 398
new species, 398
prevalence, 251
ixodids,
Amblyomma, 631
Hepatozoon, 631
Rhipicephalus, 631
tick-borne, 631
vector, 631

J

Japan, 4, 461
Aedes albopictus, 4
Aedes flavopictus, 461
Aedes flavopictus downsi, 461
Aedes flavopictus miyarai, 461
annual mean temperature, 4
geographical information system, 4
northern distribution, 4
phylogenetic tree, 461
ribosomal DNA, 461
Tohoku district, 4
juvenile hormone,
cat flea, 475
Ctenocephalides felis, 475
insemination, 475
sperm transfer, 475

K

Kenya, 78, 833
Anopheles arabiensis, 833
Anopheles funestus, 78, 833
Anopheles gambiae, 833
chromosomal inversions, 78
Great Rift Valley, 833
malaria, 78, 833
variability, 78
key container,
Aedes aegypti, 143
dengue fever, 143
epidemiology, 143
subterranean, 143
keys,
Anopheles, 28
females, 28
larvae, 28
Pakistan, 28
Knockdown resistance mutation,
Anopheles gambiae, 870
Anopheles sacharovi, 870
genetic distance, 870

L

La Crosse virus,
Ochlerotatus j. japonicus, 635
vector competence, 635
laboratory colonization,
black flies, 293
cytogenetics, 293
polytene chromosomes, 293
Simulium vittatum, 293
land crab,
Aedes polynesiensis, 658
Cardisoma carnifex, 658
Culex spp., 658
French Polynesia, 658
mosquito control, 658
larvae, 28, 162
algae, 162
Anopheles, 28
Anopheles gambiae, 162
bacteria, 162
density-dependence, 162
females, 28
keys, 28
nutrients, 162
Pakistan, 28
larval bioassay,
cat flea, 671
Ctenocephalides felis felis, 671
flea eggs, 671
imidacloprid, 671
larval feeding,
Anopheles albimanus, 825
cyanobacteria, 825
larval habitat, 825
Mexico, 825
mosquito ecology, 825
larval habitat,
Anopheles albimanus, 825
cyanobacteria, 825
larval feeding, 825
Mexico, 825
mosquito ecology, 825
Leishmania braziliensis,
Colombia, 451
Leishmania chagasi, 451
Lutzomyia evansi, 451
Lutzomyia longipalpis, 451
Leishmania chagasi,
Colombia, 451
Leishmania braziliensis, 451
Lutzomyia evansi, 451
Lutzomyia longipalpis, 451
Leishmania tropica,
cutaneous leishmaniasis, 12
sand fly, 12
Leptonycteris nivalis,
Acari, 343
bat ectoparasites, 343
Eudusbabekia provirilia n. sp., 343
Myobiidae, 343
Leptotrombidium chiangraiensis,
chiggers, 521
Leptotrombidium deliense, 521
Leptotrombidium imphalum, 521
Orientia tsutsugamushi, 521
transmission, 521
Leptotrombidium deliense,
chiggers, 521
Leptotrombidium chiangraiensis, 521
Leptotrombidium imphalum, 521
Orientia tsutsugamushi, 521
transmission, 521
Leptotrombidium imphalum,
chiggers, 521
Leptotrombidium chiangraiensis, 521
Leptotrombidium deliense, 521
Orientia tsutsugamushi, 521
transmission, 521
lice,
cytochrome oxidase I, 662
Pediculidae, 662
Pediculus capitis, 662
Pediculus humanus, 662
Phthiraptera, 662
livestock,
arthropod-borne disease, 680
sand flies, 680
vectors, 680
vesicular stomatitis, 680
western United States, 680
livestock entomology,
biological control, 52
house fly, 52
parasitism, 52
polymerase chain reaction-restriction fragment-length polymorphism, 52
stable fly, 52
lone star tick,
Amblyomma americanum, 237
blacklegged tick, 237
host-seeking, 237
Ixodes scapularis, 237
Lyme disease, 237
Loxosceles reclusa,
Arachnida, 948
synanthropy, 948

Lutzomyia,
Colombia, 601
new species, 601
Putumayo, 601
Trichophoromyia, 601
Lutzomyia evansi,
Colombia, 451
Leishmania braziliensis, 451
Leishmania chagasi, 451
Lutzomyia longipalpis, 451
Lutzomyia longipalpis, 432, 451, 689
Colombia, 451
cytochrome b, 689
histochemistry, 432
Leishmania braziliensis, 451
Leishmania chagasi, 451
Lutzomyia evansi, 451
midgut, 432
molecular methods, 689
N-acetyl-galactosamine, 432
Phlebotominae, 432
population genetics, 689
sand fly, 689
single strand conformation polymorphism, 689
Lutzomyia pseudolongipalpis,
bloodmeal identification, 440
dot enzyme-linked immunoabsorbent assay, 440
feeding behavior, 440
forage ratio, 440
host selectivity index, 440
Lutzomyia umbratilis,
morphology, 587
population variation, 587
species complex, 587
Lyme disease, 198, 237, 285, 485, 509, 723
Amblyomma americanum, 237
artificial feeding, 285
bagging, 485
biological control, 723
blacklegged tick, 237, 723
Borrelia burgdorferi, 198, 285, 509
capillary feeding, 285
entomopathogenic fungi, 723
geographical information system, 485
host-seeking, 237
Ixodes ricinus, 485
Ixodes scapularis, 237, 285, 509, 723
lone star tick, 237
Metarhizium anisopliae, 723
risk prediction, 485
rodents, 198
South Carolina, 198
tick removal, 509
ticks, 198, 285
tree-based classifiers, 485
lymphocyte suppression,
antibody, 900
Bovine lymphocytes, 900
mitogen stimulation, 900

M

macrocyclic lactone,
Boophilus microplus, 763
cattle tick, 763
control, 763
ivermectin, 763
moxidectin, 763
Madagascan ploughshare tortoise,
Amblyomma geochelone, 398
Ixodidae, 398
Madagascar, 398
new species, 398
Madagascar,
Amblyomma geochelone, 398
Ixodidae, 398
Madagascan ploughshare tortoise, 398
new species, 398
maggot mass,
Phormia regina, 392
postmortem interval, 392
West Virginia, 392
malaria, 61, 78, 350, 446, 526, 621, 833
Anopheles albimanus, 61
Anopheles arabiensis, 833
Anopheles funestus, 78, 350, 833
Anopheles gambiae, 350, 526, 833
Anopheles maculipennis complex, 621
Anopheles moucheti, 350
Anopheles nili, 350
Anopheles sacharovi, 446
anopheline, 350
Armenia, 446
Bifenthrin, 526
chromosomal inversions, 78
climate change, 621
Culex quinquefasciatus, 526
encapsulation, 61
Europe, 621
Great Rift Valley, 833
hemocytes, 61
insect immunity, 61
Kenya, 78, 833
malaria vectors, 446
mosquito net, 526
nuisance, 526
phenoloxidase, 61
remote sensing, 621
risk maps, 621
variability, 78
malaria transmission,
Anopheles campestris, 583
potential vector, 583
malaria vector,
Amazon Delta, 861
Anopheles aquasalis, 861
Anopheles sacharovi, 446
Armenia, 446
malaria, 446
Nested Clade Analysis, 861
northeastern Brazil, 861
phylogeographic structure, 861
Malaysia,
Brugia malayi, 215
elephantiasis, 215
human lymphatic filariasis, 215
Mansonia indiana, 215
Mali,
Anopheles gambiae, 568
chromosome inversions, 568
Cote d'Ivoire, 568
heterosis, 568
insecticide resistance, 568
management,
behavior, 127
control, 127
Stomoxys calcitrans, 127
traps, 127
Mansonia indiana,
Brugia malayi, 215
elephantiasis, 215
human lymphatic filariasis, 215
Malaysia, 215
manure digestion,
Hermetia illucens, 695
insect based feedstuff, 695
waste management, 695
mark-release-recapture,
Anopheles albitarsis, 926
gonotrophic cycle duration, 926
vectorial capacity, 926
mating behavior,
Aedes aegypti, 545
Anopheles gambiae, 545
cuticular hydrocarbons, 545
mosquitoes, 545
melanization, 84, 266
Anopheles gambiae, 84
Armigeres subalbatus, 266
mosquito, 266
Plasmodium falciparum, 84
prophenoloxidase, 266
refractoriness., 84
wound healing, 266
Mesocyclops,
Aedes, 469
control, 469
north Queensland, 469
Ochlerotatus, 469
subterranean, 469
Metarhizium anisopliae,
biological control, 723
blacklegged tick, 723
entomopathogenic fungi, 723
Ixodes scapularis, 723
Lyme disease, 723
methoprene,
cat fleas, 889
Ctenocephalides felis, 889
fenoxycarb, 889
pyriproxyfen, 889
Mexico, 825, 939
Anopheles albimanus, 825
cyanobacteria, 825
dairy herd, 939
Hematobia irritans, 939
larval feeding, 825
larval habitat, 825
mosquito ecology, 825
pyrethroid susceptibility, 939
microclimate,
Chagas disease, 716
Panstrongylus megistus, 716
starvation, 716
thermopreference, 716

triatominae, 716
microdistribution,
adult control, 574
Culex, 574
non-attractant traps, 574
pyrethrum, 574
ultra low volume, 574
microfilaria,
chemotaxis, 908
Onchocerca, 908
orientation, 908
Simulium, 908
vector, 908
microinjection,
antibacterial proteins, 931
blowfly, 931
Calliphora vicina, 931
Cecropin B, 931
Escherichia coli, 931
Microtus californicus,
environment, 818
flea, 818
nest, 818
population, 818
vole, 818
midgut,
histochemistry, 432
Lutzomyia longipalpis, 432
N-acetyl-galactosamine, 432
Phlebotominae, 432
midgut endocrine system,
Aedes aegypti, 331
behavior, 331
nervous system, 331
peptide hormone, 331
midgut microvilli,
Anopheles stephensi, 207
anti-mosquito antibodies, 207
Plasmodium berghei malaria, 207
Minnesota,
Borrelia burgdorferi, 218
human granulocytic ehrlichiosis, 218
Ixodes scapularis, 218
mite group II allergens,
psoroptic scabies, 384
sheep scab mite, 384
mites,
Acari, 553
chiggers, 553
Chiroptera, 553
ectoparasites, 553
host-parasite relationships, 553
mitogen stimulation,
antibody, 900
Bovine lymphocytes, 900
lymphocyte suppression, 900
molecular genetics,
Culex tarsalis, 793
enzootic transmission, 793
over wintering, 793
St. Louis encephalitis virus, 793
surveillance, 793
molecular methods,
cytochrome b, 689
Lutzomyia longipalpis, 689
population genetics, 689
sand fly, 689
single strand conformation polymorphism, 689
Mopti Savannah,
Anopheles arabiensis, 70
Anopheles gambiae, 70
Anopheles gambiae s.s., 70
habitat differences, 70
hybrid, 70
morphology,
Lutzomyia umbratilis, 587
population variation, 587
species complex, 587
mortality,
Aeromonas, 89
Pseudomonas, 89
Serratia, 89
Stomoxys calcitrans, 89
mosquito,
Aedes aegypti, 545
alphaviruses, 786
Anopheles gambiae, 545
Armigeres subalbatus, 266
Australia, 786
birds, 777
blood feeding habits, 777
CDC light traps, 920
Culex, 777
Culex pipiens, 806
cuticular hydrocarbons, 545
DEET vapor, 935
eastern equine encephalomyelitis, 806
Egypt, 248
flaviviruses, 786
gravid traps, 920
hepatitis B virus, 605
human subject, 935
isolation, 248
mating behavior, 545
melanization, 266
Ochlerotatus atropalpus, 806
Ochlerotatus japonicus, 920
Ochlerotatus taeniorhynchus, 806
polymerase chain reaction, 562, 605
prophenoloxidase, 266
Queensland, 786
trapping efficiency, 920
Triethylamine, 806
virus, 248
virus isolation, 786
West Nile virus, 777
wind, 935
Wolbachia, 562
wound healing, 266
wsp, 562
mosquito attraction,
Aedes vexans, 115
cliff swallow, 115
coloniality, 115
Culex tarsalis, 115
Petrochelidon pyrrhonota, 115
mosquito control, 493, 658
Aedes, 493
Aedes polynesiensis, 658
biting index, 493
Cardisoma carnifex, 658
community education, 493
Culex, 493
Culex spp., 658
French Polynesia, 658
land crab, 658
Polynesia, 493
mosquito ecology,
Anopheles albimanus, 825
cyanobacteria, 825
larval feeding, 825
larval habitat, 825
Mexico, 825
mosquito net,
Anopheles gambiae, 526
Bifenthrin, 526
Culex quinquefasciatus, 526
malaria, 526
nuisance, 526
moxidectin,
Boophilus microplus, 763
cattle tick, 763
control, 763
ivermectin, 763
macrocyclic lactone, 763
multiple resistance,
bioassay, 742
colonization, 742
Ctenocephalides felis, 742
insecticide resistance, 742
tolerance, 742
Musca autumnalis,
age-grading, 499
Musca domestica, 499
near-infrared spectroscopy, 499
pteridine, 499
Stomoxys calcitrans, 499
Musca domestica,
age-grading, 499
Musca autumnalis, 499
near-infrared spectroscopy, 499
pteridine, 499
Stomoxys calcitrans, 499
mutation, 747, 770
Boophilus microplus, 770
diagnostic, 770
Haematobia irritans, 747
overwintering, 747
polymerase chain reaction, 747, 770
resistance mechanism, 747, 770
sodium channel, 747, 770
Myobiidae,
Acari, 343
bat ectoparasites, 343
Eudusbabekia provirilia n. sp., 343
Leptonycteris nivalis, 343

N

N,
deet, 541
N-diethyl-3-methylbenzamide, 541
picaridin, 541
repellents, 541
Verrallina lineata, 541
N-acetyl-galactosamine,
histochemistry, 432
Lutzomyia longipalpis, 432
midgut, 432
Phlebotominae, 432

N-diethyl-3-methylbenzamide,
deet, 541
N, 541
picaridin, 541
repellents, 541
Verrallina lineata, 541
near-infrared spectroscopy,
age-grading, 499
Musca autumnalis, 499
Musca domestica, 499
pteridine, 499
Stomoxys calcitrans, 499
nervous system,
Aedes aegypti, 331
behavior, 331
midgut endocrine system, 331
peptide hormone, 331
nest,
environment, 818
flea, 818
Microtus californicus, 818
population, 818
vole, 818
Nested Clade Analysis,
Amazon Delta, 861
Anopheles aquasalis, 861
malaria vector, 861
northeastern Brazil, 861
phylogeographic structure, 861
new species, 398, 601
Amblyomma geochelone, 398
Colombia, 601
Ixodidae, 398
Lutzomyia, 601
Madagascan ploughshare tortoise, 398
Madagascar, 398
Putumayo, 601
Trichophoromyia, 601
nodulation,
Dermacentor variabilis, 376
Escherichia coli, 376
resistance, 376
non-attractant traps,
adult control, 574
Culex, 574
microdistribution, 574
pyrethrum, 574
ultra low volume, 574
nonsystemic transmission,
basic reproduction number, 417
vesicular stomatitis virus, 417
north Queensland,
Aedes, 469
control, 469
Mesocyclops, 469
Ochlerotatus, 469
subterranean, 469
northeastern Brazil,
Amazon Delta, 861
Anopheles aquasalis, 861
malaria vector, 861
Nested Clade Analysis, 861
phylogeographic structure, 861
northern distribution,
Aedes albopictus, 4
annual mean temperature, 4
geographical information system, 4
Japan, 4
Tohoku district, 4
nuisance,
Anopheles gambiae, 526
Bifenthrin, 526
Culex quinquefasciatus, 526
malaria, 526
mosquito net, 526
nutrients,
algae, 162
Anopheles gambiae, 162
bacteria, 162
density-dependence, 162
larvae, 162
nymphs, 234, 705
adults, 234
antenna, 705
Chagas' disease, 705
comparative behavior, 234
Ixodes ricinus, 234
Triatoma guazu, 705
Triatoma jurbergi, 705
Triatominae, 705
Nyssorhynchus subgenus,
Anopheles dunhami, 613
Anopheles nuneztovari, 613
Anopheles rangeli, 613
Brazilian Amazon, 613
isozyme, 613

O

Ochlerotatus,
Aedes, 469
control, 469
Mesocyclops, 469
north Queensland, 469
subterranean, 469
Ochlerotatus atropalpus,
Culex pipiens, 806
eastern equine encephalomyelitis, 806
mosquitoes, 806
Ochlerotatus taeniorhynchus, 806
Triethylamine, 806
Ochlerotatus j. japonicus, 480, 635
eastern equine encephalitis virus, 480
La Crosse virus, 635
transmission, 480
vector competence, 480, 635
Ochlerotatus japonicus,
CDC light traps, 920
gravid traps, 920
mosquito, 920
trapping efficiency, 920
Ochlerotatus notoscriptus,
Aedes aegypti, 356
ovitraps, 356
subterranean habitat, 356
surface habitat, 356
Ochlerotatus taeniorhynchus,
Culex pipiens, 806
eastern equine encephalomyelitis, 806
mosquitoes, 806
Ochlerotatus atropalpus, 806
repellent field testing, bioassay, 895
Triethylamine, 806
Ochlerotatus vigilax,
Alphavirus, 99
Australia., 99
Ross River virus, 99
temperature, 99
vector competence, 99
Oestrus ovis,
indirect enzyme-linked immunosorbent assay, 652
Italy, 652
prevalence, 652
sheep, 652
olfaction,
behavior, 121
oviposition, 121
Toxorhynchites amboinensis, 121
Toxorhynchites moctezuma, 121
on-animal control,
cat flea, 685
Ctenocephalides felis, 685
grooming behavior, 685
on-host distribution, 685
Onchocerca,
chemotaxis, 908
microfilaria, 908
orientation, 908
Simulium, 908
vector, 908
on-host distribution,
cat flea, 685
Ctenocephalides felis, 685
grooming behavior, 685
on-animal control, 685
organophosphate,
Aedes aegypti, 882
esterase, 882
glutathione-S-transferase, 882
pyrethroid, 882
resistance, 882
organophosphate resistance,
Boophilus microplus, 278
coumaphos, 278
esterases, 278
in vitro culture, 278
tick cell lines, 278
orientation,
chemotaxis, 908
microfilaria, 908
Onchocerca, 908
Simulium, 908
vector, 908
Orientia tsutsugamushi,
chiggers, 521
Leptotrombidium chiangraiensis, 521
Leptotrombidium deliense, 521
Leptotrombidium imphalum, 521
transmission, 521
Oropsylla montana,
fipronil, 152
imidacloprid, 152
plague, 152
Spermophilus beecheyi, 152
topical insecticides, 152

over wintering,
Culex tarsalis, 793
enzootic transmission, 793
Haematobia irritans, 747
molecular genetics, 793
mutation, 747
polymerase chain reaction, 747
resistance mechanism, 747
sodium channel, 747
St. Louis encephalitis virus, 793
surveillance, 793
oviposition,
behavior, 121
olfaction, 121
Toxorhynchites amboinensis, 121
Toxorhynchites moctezuma, 121
oviposition stimulant,
attractant, 130
bacteria, 130
Cochliomyia hominivorax, 130
ovitraps,
Aedes aegypti, 356
Ochlerotatus notoscriptus, 356
subterranean habitat, 356
surface habitat, 356

P

Pakistan,
Anopheles, 28
females, 28
keys, 28
larvae, 28
Panstrongylus megistus,
Chagas disease, 716
microclimate, 716
starvation, 716
thermopreference, 716
triatominae, 716
Papua New Guinea,
Anopheles punctulatus group, 16
distribution, 16
speciation, 16
parasitism,
biological control, 52
house fly, 52
livestock entomology, 52
polymerase chain reaction-restriction fragment-length polymorphism, 52
stable fly, 52
Pediculidae,
cytochrome oxidase I, 662
lice, 662
Pediculus capitis, 662
Pediculus humanus, 662
Phthiraptera, 662
Pediculus capitis,
cytochrome oxidase I, 662
lice, 662
Pediculidae, 662
Pediculus humanus, 662
Phthiraptera, 662
Pediculus humanus,
cytochrome oxidase I, 662
lice, 662
Pediculidae, 662
Pediculus capitis, 662
Phthiraptera, 662
Pediculus humanus capitis,
aliphatic alcohols, 457
experimental lotions, 457
permethrin resistance, 457
peptide hormone,
Aedes aegypti, 331
behavior, 331
midgut endocrine system, 331
nervous system, 331
Periglischrus eurysternus,
bat ectoparasites, 298
Periglischrus steresotrichus, 298
Spinturnicidae, 298
Tonatia, 298
Periglischrus steresotrichus,
bat ectoparasites, 298
Periglischrus eurysternus, 298
Spinturnicidae, 298
Tonatia, 298
permethrin,
acaricide, 755
allergen avoidance, 755
Der p 1, 755
house dust mite, 755
placebo-controlled, 755
permethrin resistance,
aliphatic alcohols, 457
experimental lotions, 457
Pediculus humanus capitis, 457
Petrochelidon pyrrhonota,
Aedes vexans, 115
cliff swallow, 115
coloniality, 115
Culex tarsalis, 115
mosquito attraction, 115
phenoloxidase,
Anopheles albimanus, 61
encapsulation, 61
hemocytes, 61
insect immunity, 61
malaria, 61
phenotype VK210,
Anopheles, 556
co-infection, 556
phenotype VK247, 556
Plasmodium vivax, 556
phenotype VK247,
Anopheles, 556
co-infection, 556
phenotype VK210, 556
Plasmodium vivax, 556
pheromone,
attractant, 191
Chagas disease, 191
Triatoma infestans, 191
Triatomine, 191
Phlebotominae,
histochemistry, 432
Lutzomyia longipalpis, 432
midgut, 432
N-acetyl-galactosamine, 432
Phormia regina,
maggot mass, 392
postmortem interval, 392
West Virginia, 392
Phthiraptera,
cytochrome oxidase I, 662
lice, 662
Pediculidae, 662
Pediculus capitis, 662
Pediculus humanus, 662
phylogenetic tree,
Aedes flavopictus, 461
Aedes flavopictus downsi, 461
Aedes flavopictus miyarai, 461
Japan, 461
ribosomal DNA, 461
phylogeographic structure,
Amazon Delta, 861
Anopheles aquasalis, 861
malaria vector, 861
Nested Clade Analysis, 861
northeastern Brazil, 861
picaridin,
deet, 541
N, 541
N-diethyl-3-methylbenzamide, 541
repellents, 541
Verrallina lineata, 541
placebo-controlled,
acaricide, 755
allergen avoidance, 755
Der p 1, 755
house dust mite, 755
permethrin, 755
plague,
fipronil, 152
imidacloprid, 152
Oropsylla montana, 152
Spermophilus beecheyi, 152
topical insecticides, 152
Plasmodium berghei malaria,
Anopheles stephensi, 207
anti-mosquito antibodies, 207
midgut microvilli, 207
Plasmodium falciparum, 84, 324
Anopheles, 324
Anopheles gambiae, 84
circumsporozoite protein, 324
dipstick assay, 324
enzyme-linked immunosorbent assay, 324
melanization, 84
Plasmodium vivax, 324
refractoriness., 84
Plasmodium vivax, 244, 324, 556
Anopheles, 244, 324, 556
circumsporozoite protein, 324
co-infection, 556
diagnostics, 244
dipstick assay, 324
enzyme-linked immunosorbent assay, 244, 324
phenotype VK210, 556
phenotype VK247, 556
Plasmodium falciparum, 324
Republic of Korea, 244
vivax malaria, 244
Plasmodium yoelii nigeriense,
Anopheles minimus, 146
Anopheles saperoi, 146
Anopheles sinensis, 146
Anopheles stephensi, 146
susceptibility, 146

p-menthane-3,8-diol,
Anopheles gambiae s.s, 736
Eucalyptus citriodora, 736
repellency, 736
stereoisomers, 736
Polylopadium,
Acari, 275
Polylopadium peruensis, 275
Trombiculidae, 275
Polylopadium peruensis,
Acari, 275
Polylopadium, 275
Trombiculidae, 275
polymerase chain reaction, 427, 562, 605, 747, 770
Bartonella quintana, 427
body lice, 427
Boophilus microplus, 770
detection, 427
diagnostic, 770
Haematobia irritans, 747
hepatitis B virus, 605
mosquito, 562
mosquitoes, 605
mutation, 747, 770
overwintering, 747
resistance mechanism, 747, 770
sodium channel, 747, 770
trench fever, 427
Wolbachia, 562
wsp, 562
polymerase chain reaction–restriction fragment-length polymorphism,
arbovirus vector, 362
biological control, 52
Culex annulirostris, 362
Culex palpalis, 362
Culex sitiens, 362
house fly, 52
livestock entomology, 52
parasitism, 52
sibling species, 362
stable fly, 52
Polynesia,
Aedes, 493
biting index, 493
community education, 493
Culex, 493
mosquito control, 493
polytene chromosomes,
black flies, 293
cytogenetics, 293
laboratory colonization, 293
Simulium vittatum, 293
population,
environment, 818
flea, 818
Microtus californicus, 818
nest, 818
vole, 818
population genetics, 689, 854
Culex nigripalpus, 854
cytochrome b, 689
Diptera, 854
geographic variation, 854
isozyme electrophoresis, 854
Lutzomyia longipalpis, 689
molecular methods, 689
sand fly, 689
single strand conformation polymorphism, 689
temporal variation, 854
population variation,
Lutzomyia umbratilis, 587
morphology, 587
species complex, 587
postmortem interval,
maggot mass, 392
Phormia regina, 392
West Virginia, 392
potential vector,
Anopheles campestris, 583
malaria transmission, 583
poultry,
biological control, 106
Carcinops pumilio, 106
dispersal, 106
house fly, 106
prevalence, 251, 652
emerging disease, 251
human granulocytic ehrlichiosis, 251
indirect enzyme-linked immunosorbent assay, 652
Italy, 652
Ixodes scapularis, 251
Ixodidae, 251
Oestrus ovis, 652
sheep, 652
prophenoloxidase,
Armigeres subalbatus, 266
melanization, 266
mosquito, 266
wound healing, 266
Pseudomonas,
Aeromonas, 89
mortality, 89
Serratia, 89
Stomoxys calcitrans, 89
psoroptic scabies,
mite group II allergens, 384
sheep scab mite, 384
pteridine,
age-grading, 499
Musca autumnalis, 499
Musca domestica, 499
near-infrared spectroscopy, 499
Stomoxys calcitrans, 499
Putumayo,
Colombia, 601
Lutzomyia, 601
new species, 601
Trichophoromyia, 601
pyrethroid,
Aedes aegypti, 882
esterase, 882
glutathione-S-transferase, 882
organophosphate, 882
resistance, 882
pyrethroid susceptibility,
dairy herd, 939
Hematobia irritans, 939
Mexico, 939
pyrethrum,
adult control, 574
Culex, 574
microdistribution, 574
non-attractant traps, 574
ultra low volume, 574
pyriproxyfen,
cat fleas, 889
Ctenocephalides felis, 889
fenoxycarb, 889
methoprene, 889

Q

Queensland,
alphaviruses, 786
Australia, 786
flaviviruses, 786
mosquitoes, 786
virus isolation, 786

R

refractoriness,
Anopheles gambiae, 84
melanization, 84
Plasmodium falciparum, 84
remating inhibition,
copulation, 847
Ixodes, 847
spermatophore, 847
remote sensing,
Anopheles maculipennis complex, 621
climate change, 621
Europe, 621
malaria, 621
risk maps, 621
repellency,
Anopheles gambiae s.s, 736
Eucalyptus citriodora, 736
p-menthane-3,8-diol, 736
stereoisomers, 736
repellents,
deet, 541
N, 541
N-diethyl-3-methylbenzamide, 541
picaridin, 541
Verrallina lineata, 541
reproduction,
Culex pipiens pallens, 185
Culex quinquefasciatus, 185
high temperature, 185
survival, 185
Republic of Korea,
Anopheles, 244
diagnostics, 244
enzyme-linked immunosorbent assay, 244
Plasmodium vivax, 244
vivax malaria, 244
resistance, 376, 513, 645, 729, 882
Aedes aegypti, 882
amitraz, 645
Bacillus sphaericus, 513, 729
Bacillus thuringiensis ssp. *israelensis*, 513
Boophilus microplus, 645
Culex pipiens, 729
Culex quinquefasciatus, 513

Dermacentor variabilis, 376
discriminating dose, 645
Escherichia coli, 376
esterase, 882
gene identification, 729
glutathione-S-transferase, 882
nodulation, 376
organophosphate, 882
pyrethroid, 882
resistance management, 513
Rhipicephalus sanguineus, 645
southern cattle tick, 645
toxin-receptor binding, 729
resistance management,
Bacillus sphaericus, 513
Bacillus thuringiensis ssp. *israelensis*, 513
Culex quinquefasciatus, 513
resistance, 513
resistance mechanism, 747, 770
Boophilus microplus, 770
diagnostic, 770
Haematobia irritans, 747
mutation, 747, 770
overwintering, 747
polymerase chain reaction, 747, 770
sodium channel, 747, 770
reverse transcription-polymerase chain reaction,
arboviruses, 312
enzyme immunoassay, 312
surveillance, 312
virus isolation, 312
Rhipicephalus,
Amblyomma, 631
Hepatozoon, 631
ixodids, 631
tick-borne, 631
vector, 631
Rhipicephalus sanguineus,
amitraz, 645
Boophilus microplus, 645
discriminating dose, 645
resistance, 645
southern cattle tick, 645
Rhodnius prolixus, 44, 256
Brindley's gland, 256
defecation behavior, 44
exocrine compounds, 256
Triatominae, 256
Trypanosoma cruzi, 44
vector potential, 44
ribosomal DNA,
Aedes flavopictus, 461
Aedes flavopictus downsi, 461
Aedes flavopictus miyarai, 461
Japan, 461
phylogenetic tree, 461
rickettsiae,
capillary feeding, 809
transovarial transmission, 809
Rickettsiella,
endosymbionts, 534
Ixodes woodi, 534
ticks, 534
risk index,
Basque Country, 177
Borrelia burgdorferi sensu lato, 177
Ixodes ricinus, 177
Spain, 177
risk maps,
Anopheles maculipennis complex, 621
climate change, 621
Europe, 621
malaria, 621
remote sensing, 621
risk prediction,
bagging, 485
geographical information system, 485
Ixodes ricinus, 485
Lyme disease, 485
tree-based classifiers, 485
rodents,
Borrelia burgdorferi, 198
Lyme disease, 198
South Carolina, 198
ticks, 198
Ross River virus,
Alphavirus, 99
Australia., 99
Ochlerotatus vigilax, 99
temperature, 99
vector competence, 99

S

sand fly, 12, 680, 689, 720
arthropod-borne disease, 680
bloodmeal, 720
cutaneous leishmaniasis, 12
cytochrome b, 689
esterases, 720
isoelectrofocusing, 720
Leishmania tropica, 12
livestock, 680
Lutzomyia longipalpis, 689
molecular methods, 689
population genetics, 689
single strand conformation polymorphism, 689
trypsin inhibitors, 720
vectors, 680
vesicular stomatitis, 680
western United States, 680
second internal transcribed spacer,
biology, 135
Ixodes didelphidis, 135
Ixodes loricatus, 135
spiracular plate, 135
semiochemical.,
antenna, 36
Dermatobia, 36
Diptera, 36
sensilla, 36
ultrastructure, 36
sensilla,
antenna, 36
Dermatobia, 36
Diptera, 36
semiochemical., 36
ultrastructure, 36
Serratia,
Aeromonas, 89
mortality, 89
Pseudomonas, 89
Stomoxys calcitrans, 89
Sex pheromone,
2,4-dichlorophenol, 945
2,6-dichlorophenol, 945
American dog tick, 945
Dermacentor variabilis, 945
sheep,
indirect enzyme-linked immunosorbent assay, 652
Italy, 652
Oestrus ovis, 652
prevalence, 652
sheep scab mite,
mite group II allergens, 384
psoroptic scabies, 384
sibling species,
arbovirus vector, 362
Culex annulirostris, 362
Culex palpalis, 362
Culex sitiens, 362
polymerase chain reaction–restriction fragment-length polymorphism, 362
Simulium,
chemotaxis, 908
microfilaria, 908
Onchocerca, 908
orientation, 908
vector, 908
Simulium vittatum,
black flies, 293
cytogenetics, 293
laboratory colonization, 293
polytene chromosomes, 293
single strand conformation polymorphism,
cytochrome b, 689
Lutzomyia longipalpis, 689
molecular methods, 689
population genetics, 689
sand fly, 689
sodium channel, 747, 770
Boophilus microplus, 770
diagnostic, 770
Haematobia irritans, 747
mutation, 747, 770
overwintering, 747
polymerase chain reaction, 747, 770
resistance mechanism, 747, 770
sodium chloride,
cat flea, 370
Ctenocephalides felis, 370
insemination, 370
weight gain, 370
South Carolina,
Borrelia burgdorferi, 198
Lyme disease, 198
rodents, 198
ticks, 198
southern cattle tick,
amitraz, 645
Boophilus microplus, 645

discriminating dose, 645
resistance, 645
Rhipicephalus sanguineus, 645
Spain,
Basque Country, 177
Borrelia burgdorferi sensu lato, 177
Ixodes ricinus, 177
risk index, 177
speciation,
Anopheles punctulatus group, 16
distribution, 16
Papua New Guinea, 16
species complex,
Lutzomyia umbratilis, 587
morphology, 587
population variation, 587
sperm transfer,
cat flea, 475
Ctenocephalides felis, 475
insemination, 475
juvenile hormone, 475
spermatophore,
copulation, 847
Ixodes, 847
remating inhibition, 847
Spermophilus beecheyi,
fipronil, 152
imidacloprid, 152
Oropsylla montana, 152
plague, 152
topical insecticides, 152
Spinturnicidae,
bat ectoparasites, 298
Periglischrus eurysternus, 298
Periglischrus steresotrichus, 298
Tonatia, 298
spiracular plate,
biology, 135
Ixodes didelphidis, 135
Ixodes loricatus, 135
second internal transcribed spacer, 135
St. Louis encephalitis virus, 226, 793
arbovirus, 226
Culex tarsalis, 226, 793
diapause, 226
enzootic transmission, 793
molecular genetics, 793
over wintering, 793
surveillance, 793
western equine encephalomyelitis virus, 226
stable fly,
biological control, 52
house fly, 52
livestock entomology, 52
parasitism, 52
polymerase chain reaction-restriction fragment-length polymorphism, 52
starvation,
Chagas disease, 716
microclimate, 716
Panstrongylus megistus, 716
thermopreference, 716
triatominae, 716
stenogamy,
Anopheles gambiae, 942
behavior, 942
copulation, 942
eurygamy, 942
genetics, 942
stereoisomers,
Anopheles gambiae s.s. 736
Eucalyptus citriodora, 736
p-menthane-3,8-diol, 736
repellency, 736
Stomoxys calcitrans, 89, 127, 499
Aeromonas, 89
age-grading, 499
behavior, 127
control, 127
management, 127
mortality, 89
Musca autumnalis, 499
Musca domestica, 499
near-infrared spectroscopy, 499
Pseudomonas, 89
pteridine, 499
Serratia, 89
traps, 127
subterranean, 143, 469
Aedes, 469
Aedes aegypti, 143
control, 469
dengue fever, 143
epidemiology, 143
key container, 143
Mesocyclops, 469
north Queensland, 469
Ochlerotatus, 469
subterranean habitat,
Aedes aegypti, 356
Ochlerotatus notoscriptus, 356
ovitraps, 356
surface habitat, 356
surface habitat,
Aedes aegypti, 356
Ochlerotatus notoscriptus, 356
ovitraps, 356
subterranean habitat, 356
surveillance, 1, 312, 793
arboviruses, 312
Culex pipiens, 1
Culex tarsalis, 793
detection, 1
enzootic transmission, 793
enzyme immunoassay, 312
molecular genetics, 793
over wintering, 793
reverse transcription-polymerase chain reaction, 312
St. Louis encephalitis virus, 793
virus isolation, 312
West Nile virus, 1
survival,
Culex pipiens pallens, 185
Culex quinquefasciatus, 185
high temperature, 185
reproduction, 185
susceptibility,
Anopheles minimus, 146
Anopheles saperoi, 146
Anopheles sinensis, 146
Anopheles stephensi, 146
Plasmodium yoelii nigeriense, 146
swine,
Amblyomma naponense, 241
Amblyomma oblongoguttatum, 241
Amblyomma ovale, 241
Amblyomma scalpturatum, 241
ticks, 241
synanthropy,
Arachnida, 948
Loxosceles reclusa, 948

T

temperature, 99, 842
Alphavirus, 99
Australia., 99
host-seeking behavior, 842
humidity, 842
Ixodes scapularis, 842
Ochlerotatus vigilax, 99
Ross River virus, 99
vector competence, 99
temporal variation,
Culex nigripalpus, 854
Diptera, 854
geographic variation, 854
isozyme electrophoresis, 854
population genetics, 854
Th2 polarization,
acquired immunity, 173
Haemaphysalis longicornis, 173
IFN-γ $-/-$ mice, 173
thermopreference,
Chagas disease, 716
microclimate, 716
Panstrongylus megistus, 716
starvation, 716
triatominae, 716
tick cell lines,
Boophilus microplus, 278
coumaphos, 278
esterases, 278
in vitro culture, 278
organophosphate resistance, 278
tick removal,
Borrelia burgdorferi, 509
Ixodes scapularis, 509
Lyme disease, 509
tick-borne,
Amblyomma, 631
Hepatozoon, 631
ixodids, 631
Rhipicephalus, 631
vector, 631
ticks, 198, 241, 285, 534, 667, 814
Amazon, 814
Amblyomma americanum, 667
Amblyomma humerale, 814
Amblyomma naponense, 241
Amblyomma oblongoguttatum, 241
Amblyomma ovale, 241
Amblyomma scalpturatum, 241
artificial feeding, 285
Babesia equi, 667
Boophilus microplus, 667
Borrelia burgdorferi, 198, 285
capillary feeding, 285
endosymbionts, 534

equids, 667
Ixodes scapularis, 285
Ixodes woodi, 534
Lyme disease, 198, 285
Rickettsiella, 534
rodents, 198
South Carolina, 198
swine, 241
tortoises, 814
vectors, 667
Tohoku district,
Aedes albopictus, 4
annual mean temperature, 4
geographical information system, 4
Japan, 4
northern distribution, 4
tolerance,
bioassay, 742
colonization, 742
Ctenocephalides felis, 742
insecticide resistance, 742
multiple resistance, 742
Tonatia,
bat ectoparasites, 298
Periglischrus eurysternus, 298
Periglischrus steresotrichus, 298
Spinturnicidae, 298
topical insecticides,
fipronil, 152
imidacloprid, 152
Oropsylla montana, 152
plague, 152
Spermophilus beecheyi, 152
tortoises,
Amazon, 814
Amblyomma humerale, 814
ticks, 814
toxin-receptor binding,
Bacillus sphaericus, 729
Culex pipiens, 729
gene identification, 729
resistance, 729
Toxorhynchites amboinensis,
behavior, 121
olfaction, 121
oviposition, 121
Toxorhynchites moctezuma, 121
Toxorhynchites moctezuma,
behavior, 121
olfaction, 121
oviposition, 121
Toxorhynchites amboinensis, 121
transmission, 480, 521, 915
Bartonella henselae, 915
cat fleas, 915
cat scratch disease, 915
chiggers, 521
Ctenocephalides felis, 915
eastern equine encephalitis virus, 480
Leptotrombidium chiangraiensis, 521
Leptotrombidium deliense, 521
Leptotrombidium imphalum, 521
Ochlerotatus j. japonicus, 480
Orientia tsutsugamushi, 521
vector competence, 480
transovarial transmission,
capillary feeding, 809
rickettsiae, 809
trapping efficiency,
CDC light traps, 920
gravid traps, 920
mosquito, 920
Ochlerotatus japonicus, 920
traps,
behavior, 127
control, 127
management, 127
Stomoxys calcitrans, 127
tree-based classifiers,
bagging, 485
geographical information system, 485
Ixodes ricinus, 485
Lyme disease, 485
risk prediction, 485
trench fever,
Bartonella quintana, 427
body lice, 427
detection, 427
polymerase chain reaction, 427
Triatoma guazu,
antenna, 705
Chagas' disease, 705
nymphs, 705
Triatoma jurbergi, 705
Triatominae, 705
Triatoma infestans,
attractant, 191
Chagas disease, 191
pheromone, 191
Triatomine, 191
Triatoma jurbergi,
antenna, 705
Chagas' disease, 705
nymphs, 705
Triatoma guazu, 705
Triatominae, 705
Triatominae, 256, 705
antenna, 705
Brindley's gland, 256
Chagas' disease, 705, 716
exocrine compounds, 256
microclimate, 716
nymphs, 705
Panstrongylus megistus, 716
Rhodnius prolixus, 256
starvation, 716
thermopreference, 716
Triatoma guazu, 705
Triatoma jurbergi, 705
Triatomine,
attractant, 191
Chagas disease, 191
pheromone, 191
Triatoma infestans, 191
Trichophoromyia,
Colombia, 601
Lutzomyia, 601
new species, 601
Putumayo, 601
Triethylamine,
Culex pipiens, 806
eastern equine encephalomyelitis, 806
mosquitoes, 806
Ochlerotatus atropalpus, 806
Ochlerotatus taeniorhynchus, 806
Trombiculidae,
Acari, 275
Polylopadium, 275
Polylopadium peruensis, 275
Trypanosoma cruzi,
defecation behavior, 44
Rhodnius prolixus, 44
vector potential, 44
trypsin inhibitors,
bloodmeal, 720
esterases, 720
isoelectrofocusing, 720
sand flies, 720

U

ultra low volume,
adult control, 574
Culex, 574
microdistribution, 574
non-attractant traps, 574
pyrethrum, 574
ultrastructure,
antenna, 36
Dermatobia, 36
Diptera, 36
semiochemical., 36
sensilla, 36
United States,
Anopheles grabhamii, 430
exotic species, 430

V

variability,
Anopheles funestus, 78
chromosomal inversions, 78
Kenya, 78
malaria, 78
vector, 631, 908
Amblyomma, 631
Amblyomma americanum, 667
arthropod-borne disease, 680
Babesia equi, 667
Boophilus microplus, 667
chemotaxis, 908
equids, 667
Hepatozoon, 631
ixodids, 631
livestock, 680
microfilaria, 908
Onchocerca, 908
orientation, 908
Rhipicephalus, 631
sand flies, 680
Simulium, 908
tick-borne, 631
ticks, 667
vesicular stomatitis, 680
western United States, 680
vector competence, 99, 480, 635
Alphavirus, 99
Australia., 99

eastern equine encephalitis virus, 480
La Crosse virus, 635
Ochlerotatus j. japonicus, 480, 635
Ochlerotatus vigilax, 99
Ross River virus, 99
temperature, 99
transmission, 480
vector potential,
defecation behavior, 44
Rhodnius prolixus, 44
Trypanosoma cruzi, 44
vectorial capacity,
Anopheles albitarsis, 926
gonotrophic cycle duration, 926
mark-release-recapture, 926
Verrallina lineata,
deet, 541
N, 541
N-diethyl-3-methylbenzamide, 541
picaridin, 541
repellents, 541
vertical transmission,
Culex pipiens, 640
West Nile virus, 640
vesicular stomatitis,
arthropod-borne disease, 680
livestock, 680
sand flies, 680
vectors, 680
western United States, 680
vesicular stomatitis virus,
basic reproduction number, 417
nonsystemic transmission, 417
virus,
Egypt, 248
isolation, 248
mosquitoes, 248
virus isolation, 312, 786
alphaviruses, 786
arboviruses, 312
Australia, 786
enzyme immunoassay, 312
flaviviruses, 786
mosquitoes, 786
Queensland, 786
reverse transcription-polymerase chain reaction, 312
surveillance, 312
vivax malaria,
Anopheles, 244
diagnostics, 244
enzyme-linked immunosorbent assay, 244
Plasmodium vivax, 244
Republic of Korea, 244
vole,
environment, 818
flea, 818
Microtus californicus, 818
nest, 818
population, 818

W

waste management,
Hermetia illucens, 695
insect based feedstuff, 695
manure digestion, 695
water balance,
desert, 875
Fleas, 875
Xenopsylla, 875
weight gain,
cat flea, 370
Ctenocephalides felis, 370
insemination, 370
sodium chloride, 370
West Nile virus, 1, 221, 640, 777
birds, 777
blood feeding habits, 777
Culex, 777
Culex pipiens, 1, 221, 640
detection, 1
environmental temperature, 221
mosquitoes, 777
surveillance, 1
vertical transmission, 640
West Virginia,
maggot mass, 392
Phormia regina, 392
postmortem interval, 392
western equine encephalomyelitis virus,
arbovirus, 226
Culex tarsalis, 226
diapause, 226
St. Louis encephalitis virus, 226
western United States,
arthropod-borne disease, 680
livestock, 680
sand flies, 680
vectors, 680
vesicular stomatitis, 680
wind,
DEET vapor, 935
human subject, 935
Mosquito, 935
wing length,
Aedes albopictus, 699
Aedes geniculatus, 699
body size, 699
fecundity, 699
Wolbachia,
mosquito, 562
polymerase chain reaction, 562
wsp, 562
wound healing,
Armigeres subalbatus, 266
melanization, 266
mosquito, 266
prophenoloxidase, 266
wsp,
mosquito, 562
polymerase chain reaction, 562
Wolbachia, 562

X

Xenopsylla,
desert, 875
Fleas, 875
water balance, 875